



for your work...for your hobby
per il lavoro...per l'hobby
pour votre travail...pour votre hobby



The catalog
Il catalogo - Le catalogue





ISTITUTO PER LA TUTELA DEI PRODUTTORI ITALIANI

Made in Italy 100% Certificate

REGISTRAZIONE N° IT01.IT/1872.066.V

SI ATTESTA CHE
This is to certify that

RIVER

E' UN MARCHIO CERTIFICATO AVENTE I REQUISITI DEL
SISTEMA IT01 - 100% QUALITA' ORIGINALE ITALIANA
acts according to system IT01 - 100% Original Italian Quality

QUESTA CERTIFICAZIONE E' INOLTRE VALIDA PER IL SEGUENTE CAMPO APPLICATIVO:
This certificate is also valid for the following product or service range:

VARIE, PRODOTTI ZOOTECNICI
Various, Zootechnical Products

DITTA PRODUTTRICE E DISTRIBUZIONE
Manufacturer and distribution Company

RIVER SYSTEMS SRL
Via Marco Polo 33 - 35011 Campodarsego (PD)

SISTEMA IT01 - 100% QUALITA' ORIGINALE ITALIANA
The certified Company:

Questi prodotti sono:

- A - IDEATI E FABBRICATI INTERAMENTE IN ITALIA**
A.1 - Realizzati con disegni e progettazione esclusivi dell' Azienda
A.2 - Costruiti interamente in Italia
A.3 - Realizzati con semilavorati Italiani
A.4 - Con tracciabilità delle lavorazioni
B - COSTRUITI CON MATERIALI NATURALI DI QUALITÀ
B.1 - Materiali naturali individuali o composti
B.2 - Materiali di qualità e prima scelta per l'uso previsto
B.3 - Con tracciabilità della provenienza delle materie prime
C - COSTRUITI SU LAVORAZIONI TRADIZIONALI TIPICHE
C.1 - Particolari lavorazioni aziendali
C.2 - Utilizzo di tecniche tradizionali tipiche
D - REALIZZATI NEL RISPETTO DEL LAVORO IGIENE E SICUREZZA
D.1 - Realizzati nel pieno rispetto del lavoro
D.2 - A norma igiene sanità e sicurezza su luoghi e prodotti

Products must be:

- A. - DESIGNED AND MANUFACTURED ENTIRELY IN ITALY**
A.1 - Based on company's own project and design.
A.2 - Fully manufactured in Italy
A.3 - Made with Italian Components
A.4 - Complete work traceability in Italy
B - MADE WITH QUALITY NATURAL MATERIALS
B.1 - Natural materials or Natural compounds
B.2 - Quality, first choice materials
B.3 - Raw materials's origin Full traceability
C - BUILT ACCORDING TO TRADITIONAL WORKING METHODS
C.1 - Use of the company's specific Workmanship
C.2 - Use of traditional Workmanships techniques
D - MADE IN OBSERVANCE OF EMPLOYEES, HEALTH AND SAFETY STANDARDS
D.1 - Ethical treatment of Employees
D.2 - Manufactured according to the Hygiene, Healthcare and Safety regulations

Organismo Asseverante:
Supporting unit:
PROMINDUSTRIA SPA




WALTER MARTINI
President

Stamp / Trade Mark
Timbro dell'Istituto


NAZZARENO VITA
Director

MILANO, 30/06/2020

LA VALIDITA' DEL PRESENTE CERTIFICATO MADE IN ITALY E' SUBORDINATA AL RIESAME COMPLETO DEL SISTEMA CON PERIODICITA' ANNUALE
The validity of this Made in Italy Certificate is subjected to a periodical complete annual inspection



River Systems S.r.l.

Head office

Via Marco Polo, n. 33 (Z.I.)

35011 Campodarsego

PADOVA – ITALY

Tel.: + 39 049 9202464

Fax.: + 39 049 9216057

E-mail: info@riversystems.it

www.riversystems.it

Offices and warehouse

Via Pontarola, n. 15/A (Z.I.)







35011 Campodarsego

PADOVA – ITALY

Revision 4 (25.01.2020)



INDEX

| | | | |
|--|---|--|--|
|  <p>DRINKERS</p> | <ul style="list-style-type: none"> - Drinkers for poultry - Drinkers for rabbits - Drinkers for pigeons - Drinkers for pigs | <p>PAGE 1.1</p> <p>PAGE 1.7</p> <p>PAGE 1.8</p> <p>PAGE 1.9</p> | |
|  <p>FEEDERS</p> | <ul style="list-style-type: none"> - Feeders for poultry - Feeders for rabbits - Feeders - various - Feeders for pigs | <p>PAGE 2.1</p> <p>PAGE 2.11</p> <p>PAGE 2.13</p> <p>PAGE 2.13</p> | |
|  <p>INCUBATORS</p> | <ul style="list-style-type: none"> - Incubators - Accessories - Heaters | <p>PAGE 3.1</p> <p>PAGE 3.4</p> <p>PAGE 3.5</p> | |
|  <p>PLUCKING MACHINES</p> | <ul style="list-style-type: none"> - Plucking machines - Accessories | <p>PAGE 4.1</p> <p>PAGE 4.2</p> | |
|  <p>GRINDING MILLS</p> | <ul style="list-style-type: none"> - Grinding mills | <p>PAGE 5.1</p> | |
|  <p>ACCESSORIES</p> | <ul style="list-style-type: none"> - Accessories | <p>PAGE 6.1</p> | |

ANNEXES















| | | |
|--|------|------|
| - Drinkers with handle | PAGE | I |
| - Drinkers with handle and legs | PAGE | II |
| - Disc bottle holder drinker | PAGE | III |
| - Horizontal nipple drinker STILLA | PAGE | IV |
| - Treadle feeders ALMA | PAGE | V |
| - Feeders COMPACTA | PAGE | VI |
| - Feeders ARCUS | PAGE | VII |
| - Feeders ARCUS GYRO | PAGE | VIII |
| - Feeders with legs | PAGE | IX |
| - 500 Kg feeder GRANDIA | PAGE | X |
| - Turkey feeders | PAGE | XI |
| - Incubator ET 12 semi-automatic | PAGE | XII |
| - Incubator ET 24 semi-automatic | PAGE | XIII |
| - Incubator ET 49 semi-automatic | PAGE | XIV |
| - Ultrasonic humidifier for humidity control NEBULA® | PAGE | XV |
| - Plucking machines PIUMINA | PAGE | XVI |
| - Plucking machine PIUMONA | PAGE | XVII |



Hobby Line

DRINKERS for poultry









25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------------------|--|---|
|  | <p>137/A</p> | <p>Disc bottle holder drinker for chicks <i>Packing in carton: 15 pcs. – Vol. 0,045 m³ – Kg. 3,27</i> <i>630 pcs. on pallet 120x80x245 cm</i> <i>810 pcs. on pallet 120x100x236 cm</i> <i>Animals/drinker: 10 chicks</i></p> |  |
|  | <p>137</p> | <p>1,5 litre plastic poultry drinker <i>Packing in carton: 25 pcs. – Vol. 0,045 m³ – Kg. 5,0</i> <i>800 pcs. on pallet 120x80x234 cm</i> <i>1200 pcs. on pallet 120x109x230 cm</i> <i>Animals/drinker: 2-3 chickens</i></p> |  |
|  | <p>138</p> | <p>3 litre plastic poultry drinker <i>Packing in carton: 25 pcs. – Vol. 0,074 m³ – Kg. 6,0</i> <i>650 pcs. on pallet 120x80x229 cm</i> <i>900 pcs. on pallet 120x100x231 cm</i> <i>Animals/drinker: 4-5 chickens</i></p> |  |
|  | <p>139</p> | <p>5 litre plastic poultry drinker <i>Packing in carton: 25 pcs. – Vol. 0,087 m³ – Kg. 9,5</i> <i>450 pcs. on pallet 120x80x235 cm</i> <i>650 pcs. on pallet 120x100x235 cm</i> <i>Animals/drinker: 6-8 chickens</i></p> |  |
|  | <p>140</p> | <p>10 litre plastic poultry drinker <i>Packing in carton: 10 pcs. – Vol. 0,095 m³ – Kg. 8,0</i> <i>200 pcs. on pallet 123x80x219 cm</i> <i>250 pcs. on pallet 123x102x219 cm</i> <i>Animals/drinker: 10 chickens</i></p> |  |
|  | <p>139/MN</p> | <p>5 litre plastic poultry drinker with handle <i>Packing in carton: 10 pcs. – Vol. 0,113 m³ – Kg. 7,80</i> <i>140 pcs. on pallet 120x80x242 cm</i> <i>240 pcs. on pallet 127x106x235 cm</i></p> |  |
|  | <p>139/MN/P</p> | <p>5 litre plastic poultry drinker with handle and legs <i>Packing in carton: 10 pcs. – Vol. 0,113 m³ – Kg. 8,45</i> <i>140 pcs. on pallet 120x80x242 cm</i> <i>240 pcs. on pallet 127x106x235 cm</i></p> |  |

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------------------|---|--|
|  | <p>140/MN</p> | <p>10 litre plastic poultry drinker with handle <i>Packing in carton: 10 pcs. – Vol. 0,136 m³ – Kg. 8,74</i> <i>120 pcs. on pallet 120x80x241 cm</i> <i>180 pcs. on pallet 124x100x241 cm</i> <i>In container 20': 3.200 pcs. stacked</i></p> |  <p>8 068057 259255</p> |
|  | <p>140/MN/P</p> | <p>10 litre plastic poultry drinker with handle and legs <i>Packing in carton: 10 pcs. – Vol. 0,136 m³ – Kg. 9,39</i> <i>120 pcs. on pallet 120x80x241 cm</i> <i>180 pcs. on pallet 124x100x241 cm</i></p> |  <p>8 068057 260619</p> |
|  | <p>1415</p> | <p>15 litre plastic poultry drinker with handle <i>Packing in carton: 8 pcs. – Vol. 0,144 m³ – Kg. 8,18</i> <i>96 pcs. on pallet 120x80x241 cm</i> <i>144 pcs. on pallet 124x100x241 cm</i> <i>Animals/drinker: ~18 chickens</i></p> |  <p>8 068057 260756</p> |
|  | <p>1415P</p> | <p>15 litre plastic poultry drinker with handle and legs <i>Packing in carton: 8 pcs. – Vol. 0,144 m³ – Kg. 8,66</i> <i>96 pcs. on pallet 120x80x241 cm</i> <i>144 pcs. on pallet 124x100x241 cm</i> <i>Animals/drinker: ~18 chickens</i></p> |  <p>8 068057 260763</p> |

Hobby Line

DRINKERS for poultry













25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-----------------------|---|---|
|  | <p>140/B</p> | <p>15 litre plastic poultry drinker with handle cap <i>Packing in carton: 4 pcs. – Vol. 0,113 m³ – Kg. 4,40</i> <i>56 pcs. on pallet 120x80x242 cm</i> <i>96 pcs. on pallet 127x106x235 cm</i> <i>Animals/drinker: 15 chickens</i></p> |  |
|  | <p>140/B/P</p> | <p>15 litre plastic poultry drinker with handle cap and legs <i>Packing in carton: 4 pcs. – Vol. 0,113 m³ – Kg. 4,66</i> <i>56 pcs. on pallet 120x80x242 cm</i> <i>96 pcs. on pallet 127x106x235 cm</i> <i>Animals/drinker: 15 chickens</i></p> |  |
|  | <p>1801</p> | <p>4-piece kit of push-in legs in neutral bag <i>Packing in bag: 4 pcs. – Kg. 0,06</i></p> |  |
|  | <p>1801-90</p> | <p>4-piece kit of push-in legs in hangable bag <i>Confez. in sacchetto: 4 pcs. – Kg. 0,06</i></p> |  |
|  | <p>1401</p> | <p>“STILLA” Side mounted horizontal nipple drinker <i>Packing in bag or carton</i> <i>Animals/drinker: 4-5 chickens</i></p> |  |

Hobby Line

DRINKERS for poultry













25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|---------------------|---|---|
|  | <p>141</p> | <p>Constant level galvanised tripod drinker type 30 litres for chickens / laying hens / turkeys. Actual capacity: approx. 22 litres <i>Packing in carton: 1 pcs. – Vol. 0,049 m³ – Kg. 3,56</i> <i>36 pcs. on pallet 120x80x224 cm</i> <i>51 pcs. on pallet 120x105x224 cm</i></p> |  |
|  | <p>141/A</p> | <p>Constant level plastic tripod drinker type 30 litres for chickens / laying hens / turkeys. Actual capacity: approx. 24 litres <i>Packing in carton: 1 pcs. – Vol. 0,070 m³ – Kg. 3,0</i> <i>24 pcs. on pallet 120x80x224 cm</i> <i>36 pcs. on pallet 120x105x232 cm</i></p> |  |
|  | <p>8020</p> | <p>Hanging automatic bell drinker with valve for 6x9mm hose - for chickens / laying hens / poults (day-old turkeys) <i>Packing in carton: 10 pcs. – Vol. 0,091 m³ – Kg. 15,0</i> <i>200 pcs. on pallet 123x80x219 cm</i> <i>250 pcs. on pallet 123x102x219 cm</i> <i>In container 20': 6.000 pcs. stacked</i></p> |  |
|  | <p>8021</p> | <p>Hanging automatic bell drinker with valve for 6x9mm hose, complete with 2m of hose and saddle connector</p> |  |
|  | <p>8022</p> | <p>Hanging automatic bell drinker with valve for 6x9mm hose, complete with 3m of hose and saddle connector</p> |  |
|  | <p>8023</p> | <p>Hanging automatic bell drinker with valve for 12x17mm hose - for chickens / laying hens / poults (day-old turkeys) <i>Packing in carton: 10 pcs. – Vol. 0,091 m³ – Kg. 15,0</i> <i>200 pcs. on pallet 123x80x219 cm</i> <i>250 pcs. on pallet 123x102x219 cm</i> <i>In container 20': 6.000 pcs. stacked</i></p> |  |

Hobby Line

DRINKERS for poultry













25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-----------------------|---|--|
|  | <p>8024</p> | <p>Hanging automatic bell drinker with valve for 12x17mm hose, complete with 2m of hose and saddle connector</p> |  <p>8 068057 261340</p> |
|  | <p>8025</p> | <p>Hanging automatic bell drinker with valve for 12x17mm hose, complete with 3m of hose and saddle connector</p> |  <p>8 068057 261357</p> |
|  | <p>1020</p> | <p>White saddle connector for automatic bell drinker item no. 8020-8021-8022</p> |  <p>8 068057 261388</p> |
|  | <p>143/A</p> | <p>Saddle connector for automatic bell drinker item no. 8023-8024-8025</p> |  <p>8 068057 261401</p> |
|  | <p>4105-05</p> | <p>PVC black pipe 6x9mm <i>Packing in roll: 50 m</i></p> |  <p>8 068057 259743</p> |
|  | <p>239</p> | <p>PVC green hose 12x17mm</p> |  <p>8 068057 261395</p> |

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|--------------|--|---|
|  | 144 | Linear drinker with L=2 m stainless steel trough, for chicks / chickens / laying hens <i>Packing: 3 pcs. – Vol. 0,024 m³ – Kg. 15,7</i> |  |
|  | 142 | Galvanised hanging drinker L=300 mm <i>Packing in carton: 24 pcs. – Vol. 0,05 m³ – Kg. 6,40</i> <i>816 pcs. on pallet 120x80x245 cm</i> <i>1224 pcs. on pallet 120x100x245 cm</i> |  |
| | 142/A | Galvanised hanging drinker L=410 mm <i>Packing in carton: 24 pcs. – Vol. 0,066 m³ – Kg. 7,60</i> <i>816 pcs. on pallet 122x86x230 cm</i> <i>816 pcs. on pallet 122x100x230 cm</i> |  |
| | 142/B | Galvanised hanging drinker L=500 mm <i>Packing in carton: 24 pcs. – Vol. 0,097 m³ – Kg. 8,90</i> <i>384 pcs. on pallet 120x80x222 cm</i> <i>672 pcs. on pallet 124x104x230 cm</i> |  |
| | 142/C | Galvanised hanging drinker L=600 mm <i>Packing in carton: 24 pcs. – Vol. 0,132 m³ – Kg. 9,90</i> <i>384 pcs. on pallet 126x84x214 cm</i> <i>480 pcs. on pallet 126x100x224 cm</i> |  |
| | 142/D | Galvanised hanging drinker L=1000 mm <i>Packing in carton: 24 pcs. – Vol. 0,214 m³ – Kg. 15,50</i> <i>192 pcs. on pallet 120x84x214 cm</i> <i>288 pcs. on pallet 126x102x214 cm</i> |  |
|  | 8001 | Free range drinking system – dim. 60x118 cm, h=80 cm, adjustable height from 7 to 70 cm from the ground. 16 stainless steel 360° nipples <i>Packing in carton: 1 pcs.</i> |  |
|  | 8002 | NEW Drinking system with horizontal drinker Stilla Dim. 60x118 cm, h=80 cm, adjustable height from 7 to 70 cm from the ground. 16 Stilla nipples <i>Packing in carton: 1 pcs.</i> |  |

Hobby Line

DRINKERS for rabbits

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|------|--|---------------------|--|
| | 145 Galvanised bottle holder drinker with plastic ring <i>Packing in carton: 50 pcs. – Vol. 0,045 m³ – Kg. 7,5</i> <i>1600 pcs. on pallet 120x80x234 cm</i> <i>2400 pcs. on pallet 120x102x234 cm</i> | 8 068057 258234 | |
| | 145/A Plastic bottle holder drinker <i>Packing in carton: 100 pcs. – Vol. 0,078 m³ – Kg. 11,7</i> <i>2400 pcs. on pallet 122x81x212 cm</i> <i>3000 pcs. on pallet 122x102x212 cm</i> | 8 068057 259330 | |
| | 145/N Galvanised bottle holder drinker <i>Packing in carton: 50 pcs. – Vol. 0,067 m³ – Kg. 7,67</i> <i>1500 pcs. on pallet 120x81x219 cm</i> | 8 068057 259453 | |
| | 145/B Clip drinker in stainless steel, complete with nipple holder and stainless steel nipple <i>Packing in carton: 300 pcs. – Vol. 0,027 m³ – Kg. 9,0</i> | 8 068057 259347 | |
| | 145/B/CLIP Stainless steel clip with nipple holder <i>Packing in carton</i> | 8 068057 259354 | |
| | 145/M Screw bracket drinker (screws excluded) complete with nipple holder, T connection and stainless steel nipple <i>Packing in carton: 300 pcs. – Vol. 0,027 m³ – Kg. 13,5</i> | 8 068057 259439 | |
| | 145/M/CLIP Screw bracket (screws excluded) complete with nipple holder, T connection <i>Packing in carton</i> | 8 068057 259446 | |

Hobby Line

DRINKERS for rabbits

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|------|---------------|--|---------------------|
| | 145/F | Drinker with 0,5 l tank, stainless steel nipple <i>Packing in carton: 24 pcs. – Vol. 0,026 m³ – Kg. 2,73</i> <i>1824 pcs. on pallet 120x80x248 cm</i> <i>2400 pcs. on pallet 120x100x248 cm</i> | 8 068057 259392 |
| | 145/G | Drinker with 1 l tank, stainless steel nipple <i>Packing in carton: 24 pcs. – Vol. 0,040 m³ – Kg. 3,84</i> <i>1152 pcs. on pallet 120x80x242 cm</i> <i>1440 pcs. on pallet 120x100x242 cm</i> | 8 068057 259408 |
| | 145/H | Automatic drinker with 6 cm basin – in plastic (nylon) <i>Packing in carton: 10 pcs. – Vol. 0,019 m³ – Kg. 2,28</i> <i>1020 pcs. on pallet 120x80x239 cm</i> <i>1200 pcs. on pallet 120x100x242 cm</i> | 8 068057 259415 |
| | 145/I | Automatic drinker with 12 cm basin – in plastic (nylon) <i>Packing in carton: 10 pcs. – Vol. 0,019 m³ – Kg. 3,18</i> <i>1020 pcs. on pallet 120x80x239 cm</i> <i>1200 pcs. on pallet 120x100x242 cm</i> | 8 068057 259422 |
| | 145/D | Stainless steel nipple, threaded <i>Packing in carton: 1.500 pcs. – Vol. 0,026 m³ – Kg. 21</i> | 8 068057 259361 |
| | 145/EN | Plastic water tank with cover and ball valve (black) <i>Packing in carton</i> | 8 068057 259385 |
| | 145/E | Plastic water tank with cover and ball valve (white) <i>Packing in carton</i> | 8 068057 259378 |

DRINKERS for pigeons









| | | | |
|--|--------------|---|---------------------|
| | 140/E | Siphon drinker <i>Packing in carton: 10 pcs. – Vol. 0,20 m³ – Kg. 6,2</i> <i>100 pcs. on pallet 120x82x249 cm</i> <i>150 pcs. on pallet 123x108x249 cm</i> | 8 068057 259248 |
|--|--------------|---|---------------------|



Hobby Line

DRINKERS for pigs

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------------|--|--|
|  | <p>6130-5</p> | <p>Nipple drinker for piglets 1/2", in stainless steel, Ø 16 mm <i>Packing in bag: 20 pcs.</i></p> |  8 068057 260473 |
|  | <p>6131-5</p> | <p>Nipple drinker for fattening 1/2", in stainless steel, Ø 20 mm <i>Packing in bag: 20 pcs.</i></p> |  8 068057 260480 |
|  | <p>6132-5</p> | <p>Nipple drinker 1/2" for sows and boars, in stainless steel, Ø 25 mm <i>Packing in bag: 20 pcs.</i></p> |  8 068057 260497 |
|  | <p>6133-5</p> | <p>Nipple drinker 3/4" for sows and boars, in stainless steel, Ø 25 mm <i>Packing in bag: 20 pcs.</i></p> |  8 068057 260503 |



Hobby Line

DRINKERS for pigs

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|---------------|---|--|
|  | 6110-5 | Nipple for bowl drinker 1/2" short, in stainless steel <i>Packing in bag: 20 pcs.</i> |  8 068057 260428 |
|  | 6111-5 | Trough-nipple 1/2" short, in stainless steel <i>Packing in bag: 20 pcs.</i> |  8 068057 260435 |
|  | 6112-5 | Trough-nipple 1/2" long, in stainless steel <i>Packing in bag: 20 pcs.</i> |  8 068057 260442 |
|  | 6113-5 | Socket, female thread 1/2" in stainless steel <i>Packing in bag: 20 pcs.</i> |  8 068057 260459 |
|  | 6201 | Bracket 1/2" 15°, in stainless steel, acid-resistant <i>Packing in bag: 10 pcs.</i> |  8 068057 258470 |
|  | 6202 | Bracket 1/2" 45°, in stainless steel, acid-resistant <i>Packing in bag: 10 pcs.</i> |  8 068057 258487 |

DRINKERS WITH HANDLE

Art. 139/MN - 140/MN - 1415

The drinkers with handle by River Systems® have the following characteristics:

The **four legs** on the dome become a stable support while filling the siphon. They have been designed to give a perfect and stable base for the inverted siphon.

The **handle** is big, strong and ergonomic to provide a handy and comfortable grip. The loop allows hanging the drinker.

The **rounded profile** on the upper part prevents any deposit of solid or liquid sediments.

The design allows **easy assembly of the handle** and enables improved grip and easier rotation.



Tray with **sockets for legs** art. 1801 (optional).

They are available in three capacities:



Art. 139/MN
5 litre plastic drinker



Art. 140/MN
10 litre plastic drinker



Art. 1415
15 litre plastic drinker

DRINKERS WITH HANDLE AND LEGS

Art. 139/MN/P - 140/MN/P - 1415P - 140/B/P

The push-in legs by River Systems® lift the plastic drinkers by 65 mm (approx. 2,56") off the ground, keeping the water free from floor contamination, and allowing your animals to drink more comfortably. They can be inserted or removed as necessary.

They come in a 4-piece kit, all contained within a plastic bag.



The plastic drinkers complete with legs are the following:



Art. 139/MN/P
5 litre plastic drinker
with legs



Art. 140/MN/P
10 litre plastic drinker
with legs




Art. 1415P
15 litre plastic drinker
with legs



Art. 140/B/P
15 litre plastic drinker
with handle cap and legs

DISC BOTTLE HOLDER DRINKER Art. 137/A


The disc bottle holder drinker for chicks by River Systems® is functional and user-friendly and is suitable for various types of bottles available in the market.



HORIZONTAL NIPPLE DRINKER "STILLA"

Art. 1401

The nipple drinker Stilla can be screw-mounted on a variety of recipients to supply your poultry always clean water. Its shape and threaded support allow to mount it easily and quickly without using any tool: just make on the bottom of the recipient wall as many holes as the Stilla drinkers you want to install, then fasten them. Its sturdy design and the first quality materials assure a long life with little maintenance. The small cup at the bottom recuperates any droplet. The drinker, working at 360°, is operated by a spring that along with an O-ring assures its tightness: the bird gets the water out of the recipient by pushing or moving the stainless steel pin. Its bright yellow colouring allows animals to locate it easily while its distinctive shape allows them to drink in a simple and ergonomic way. Stilla is recommended for poultry.


















Hobby Line

FEEDERS for poultry

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------------------|---|---|
|  | <p>125/A</p> | <p>Plastic poultry feeder with lid, metal central rod and anti-waste profile – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³ – Kg. 5,83</i> <i>120 pcs. on pallet 120x80x227 cm / 150 pcs. on pallet 120x100x227 cm</i> <i>In container: 20': 3.800 pcs. / 40': 7.800 pcs. / 40' HC 9.200 pcs. stacked</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |
|  | <p>125/A/P</p> | <p>Plastic poultry feeder with lid, metal central rod, anti-waste profile and legs – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³ – Kg. 6,16</i> <i>120 pcs. on pallet 120x80x227 cm</i> <i>150 pcs. on pallet 120x100x227 cm</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |
|  | <p>126/A</p> | <p>Plastic poultry feeder with lid, metal central rod and anti-waste profile – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³ – Kg. 8,75</i> <i>50 pcs. on pallet 120x80x228 cm / 80 pcs. on pallet 120x100x228 cm</i> <i>125 pcs. on pallet 120x137x228 cm</i> <i>In container: 20': 2.000 pcs. / 40': 4.300 pcs. / 40' HC 5.050 pcs. stacked</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | <p>126/A/P</p> | <p>Plastic poultry feeder with lid, metal central rod, anti-waste profile and legs – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³ – Kg. 9,07</i> <i>50 pcs. on pallet 120x80x228 cm</i> <i>80 pcs. on pallet 120x100x228 cm</i> <i>125 pcs. on pallet 120x137x228 cm</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | <p>125/A/R</p> | <p>Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³ – Kg. 5,83</i> <i>Pallets and containers as in art. 125/A</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |
| | <p>126/A/R</p> | <p>Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³ – Kg. 8,75</i> <i>Pallets and containers as in art. 126/A</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | <p>125/AR/P</p> | <p>Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and legs – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³ – Kg. 6,16</i> <i>Pallets as in art. 125/A</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |

Hobby Line

FEEDERS for poultry








25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------------------|--|---|
|  | <p>126/AR/P</p> | <p>Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and legs – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³ – Kg. 9,07</i> <i>Pallets as in art. 126/A</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | <p>2110</p> | <p>“ARCUS” Plastic poultry feeder with metal central rod, lid, and anti-waste profile and fins – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³</i> <i>120 pcs. on pallet 120x80x227 cm / 150 pcs. on pallet 120x100x227 cm</i> <i>In container: 20': 3.800 pcs./ 40': 7.800 pcs./ 40' HC 9.200 pcs. stacked</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |
|  | <p>2110P</p> | <p>“ARCUS” Plastic poultry feeder with metal central rod, anti-waste profile and fins, lid, and legs – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³</i> <i>120 pcs. on pallet 120x80x227 cm</i> <i>150 pcs. on pallet 120x100x227 cm</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |
|  | <p>2120</p> | <p>“ARCUS” Plastic poultry feeder with metal central rod, lid, and anti-waste profile and fins – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³</i> <i>50 pcs. on pallet 120x80x228 cm / 80 pcs. on pallet 120x100x228 cm</i> <i>125 pcs. on pallet 120x137x228 cm</i> <i>In container: 20': 2.000 pcs./ 40': 4.300 pcs./ 40' HC 5.050 pcs. stacked</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | <p>2120P</p> | <p>“ARCUS” Plastic poultry feeder with metal central rod, anti-waste profile and fins, lid, and legs – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³</i> <i>50 pcs. on pallet 120x80x228 cm / 80 pcs. on pallet 120x100x228 cm</i> <i>125 pcs. on pallet 120x137x228 cm</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | <p>2111</p> | <p>“ARCUS GYRO” Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile and fins – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³</i> <i>Pallets and containers as in art. 2110</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |

Hobby Line

FEEDERS for poultry

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------|---|---|
|  | 2111P | <p>“ARCUS GYRO” Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and fins, and legs – capacity 9 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³ – Kg. 8,75</i> <i>Pallets as in art. 2110</i> <i>Animals/feeder: 4-5 chickens</i></p> |  |
|  | 2121 | <p>“ARCUS GYRO” Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile and fins – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,070 m³ – Kg. 6,16</i> <i>Pallets and containers as in art. 2120</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | 2121P | <p>“ARCUS GYRO” Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and fins, and legs – capacity 20 litres <i>Packing in carton: 5 pcs. – Vol. 0,135 m³ – Kg. 9,07</i> <i>Pallets as in art. 2120</i> <i>Animals/feeder: 10 chickens</i></p> |  |
|  | 2122 | <p style="text-align: center;">NEW</p> <p>“ARCUS MAGNA” Plastic feeder with metal vertical rod, plastic horizontal rod, lid, anti-waste profile and fins, big tray – capacity 20 litres <i>Packing in carton: 5 pcs.</i></p> |  |
|  | 2005 | <p>“COMPACTA” Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 12 litres <i>Packing in carton: 10 pcs. – Vol. 0,208 m³ – Kg. 11,53</i> <i>In container: 20': 2.100 pcs. / 40': 4.400 pcs. / 40' HC 5.000 pcs. stacked</i> <i>Animals/feeder: 5-6 chickens</i></p> |  |
|  | 2005P | <p>“COMPACTA” Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 22 litres <i>Packing in carton: 10 pcs. – Vol. 0,295 m³ – Kg. 16,23</i> <i>80 pcs. on pallet 128x100x206 cm</i> <i>In container: 20': 1.500 pcs. / 40': 3.200 pcs. / 40' HC 3.700 pcs. stacked</i> <i>Animals/feeder: 11 chickens</i></p> |  |

Hobby Line

FEEDERS for poultry


25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|---|---|
|  | 2010 | <p>“COMPACTA” Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 22 litres</p> <p><i>Packing in carton: 10 pcs. – Vol. 0,295 m³ – Kg. 16,23</i> <i>80 pcs. on pallet 128x100x206 cm</i> <i>In container: 20': 1.500 pcs. / 40': 3.200 pcs. / 40' HC 3.700 pcs. stacked</i> <i>Animals/feeder: 11 chickens</i></p> |  |
|  | 2010P | <p>“COMPACTA” Plastic poultry feeder, 3 adjustment positions, lid, anti-waste grill and legs, no-rod – capacity 22 litres</p> <p><i>Packing in carton: 10 pcs. – Vol. 0,295 m³ – Kg. 16,83</i> <i>80 pcs. on pallet 128x100x206 cm</i> <i>Animals/feeder: 11 chickens</i></p> |  |
|  | 1801 | <p>4-piece kit of push-in legs in neutral bag</p> <p><i>Packing in bag: 4 pcs. – Kg. 0,06</i></p> |  |
|  | 1801-90 | <p>4-piece kit of push-in legs in hangable bag</p> <p><i>Confez. in sacchetto: 4 pcs. – Kg. 0,06</i></p> |  |
|  | 125 | <p>Galvanised poultry feeder with lid – capacity 8 litres</p> <p><i>Packing in carton: 10 pcs. – Vol. 0,078 m³ – Kg. 16</i> <i>240 pcs. on pallet 122x81x212 cm</i> <i>300 pcs. on pallet 122x102x212 cm</i></p> |  |
|  | 126 | <p>Galvanised poultry feeder with lid – capacity 22 litres</p> <p><i>Packing in carton: 5 pcs. – Vol. 0,092 m³ – Kg. 13</i> <i>100 pcs. on pallet 130x83x214 cm</i> <i>125 pcs. on pallet 123x102x219 cm</i></p> |  |

Hobby Line

FEEDERS for poultry





25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|---------------|---|--|
|  | 127 | Galvanised poultry feeder with lid – capacity 37 litres <i>Packing on pallet: 50 pcs. – Vol. 1,92 m³ – Kg. 202</i> |  8 068057 258074 |
|  | 127/AA | Galvanised feeder type 18-40 for turkeys – hollow vertical rod. Cylinder capacity: 22 litres <i>Packing on pallet</i> |  8 068057 259054 |
|  | 127/AB | Galvanised feeder type 18-40 for turkeys – solid vertical rod. Cylinder capacity: 22 litres <i>Packing on pallet</i> |  8 068057 259071 |
|  | 126/B | Plastic lid for feeders art. 126, 126/A, 126/A/R, 2120, 2121, 127/AA and 127/AB |  8 068057 259040 |
|  | 126/F | Plastic lid for feeders art. 126, 127/AA and 127/AB, with diam. 65 mm hole for feed drop tube |  8 068057 259057 |
|  | 127/C | Galvanised anti-waste ring for art. 127/AA and 127/AB |  8 068057 259088 |

Hobby Line

FEEDERS for poultry - rain shields

25.01.2020 (rev. 4)





| Art. | Art. No. | Description | |
|---|----------|--|---|
|  | 306/1 | Galvanised rain shield for feeder art. 125 |  |
|  | | Galvanised rain shield for feeder art. 125/A, 125/A/R, 2110 and 2111 | |
|  | 307/1 | Galvanised rain shield for feeder art. 126 |  |
|  | | Galvanised rain shield for feeder art. 126/A, 126/A/R, 2120 and 2121 | |
|  | 308/1 | Galvanised rain shield for feeder art. 127 |  |



Hobby Line

FEEDERS for poultry - rain shields

















25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|---------------------|---|--|
|  | <p>309/1</p> | <p>Galvanised rain shield for feeder art. 2005</p> |  <p>8 068057 260855</p> |
|  | <p>310/1</p> | <p>Galvanised rain shield for feeder art. 2010</p> |  <p>8 068057 260852</p> |

Hobby Line

FEED TROUGHS for poultry











25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|---|---|
|  | 120 | Galvanised feed trough with grid for chicks, L=30 cm Packing in carton: 24 pcs. – Vol. 0,025 m ³ – Kg. 6,0 1296 pcs. on pallet 120x80x230 cm 1944 pcs. on pallet 120x101x230 cm Animals/feeder: 16 chicks |  |
|  | 121 | Galvanised feed trough with grid for chicks, L=50 cm Packing in carton: 24 pcs. – Vol... 0,044 m ³ – Kg. 8,0 1056 pcs. on pallet 120x80x250 cm 1344 pcs. on pallet 120x100x250 cm Animals/feeder: 22 chickens |  |
|  | 122 | Galvanised feed trough with grid for chickens, L=50 cm Packing in carton: 12 pcs. – Vol. 0,096 m ³ – Kg. 9,0 240 pcs. on pallet 120x81x219 cm 324 pcs. on pallet 122x100x230 cm Animals/feeder: 8 chickens |  |
|  | 122/A | Galvanised feed trough with grid for chickens, L=75 cm Packing in carton: 12 pcs. – Vol. 0,137 m ³ – Kg. 11,0 180 pcs. on pallet 122x80x222 cm 276 pcs. on pallet 122x118x245 cm Animals/feeder: 12 chickens |  |
|  | 123 | Galvanised feed trough with grid for chickens, L=100 cm Packing in carton: 12 pcs. – Vol. 0,178 m ³ – Kg. 13,0 120 pcs. on pallet 120x81x222 cm 180 pcs. on pallet 122x102x222 cm Animals/feeder: 16 chickens |  |
|  | 120ARS | Plastic feed trough with grid for chicks, L=50 cm Packing in carton: 12 pcs. – Vol. 0,036 m ³ – Kg. 2,72 756 pcs. on pallet 122x81x251 cm 864 pcs. on pallet 120x100x251 cm |  |
|  | 121/A/R | Plastic feed trough with grid for chickens, L=50 cm Packing in carton: 6 pcs. – Vol. 0,058 m ³ – Kg. 2,88 222 pcs. on pallet 120x80x254 cm 324 pcs. on pallet 120x108x254 cm Animals/feeder: 8 chickens |  |
|  | 123/A/R | Plastic feed trough with grid for chickens, L=100 cm Packing in carton: 7 pcs. – Vol. 0,096 m ³ – Kg. 5,8 140 pcs. on pallet 123x80x219 cm 175 pcs. on pallet 123x102x219 cm |  |

Hobby Line

FEED TROUGHS for poultry





25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|--|---------------|---|---|
|  | 121/A | Plastic feed trough with metal grid for chickens, L=50 cm <i>Packing in carton: 6 pcs. – Vol. 0,050 m³ – Kg. 3,75</i> <i>222 pcs. on pallet 120x80x254 cm</i> <i>324 pcs. on pallet 120x108x254 cm</i> |  |
|  | 122/AA | Plastic feed trough with metal grid for chickens, L=75 cm <i>Packing in carton: 6 pcs. – Vol. 0,073 m³ – Kg. 5,0</i> <i>150 pcs. on pallet 120x80x237 cm</i> <i>180 pcs. on pallet 120x101x237 cm</i> |  |
|  | 124 | Galvanised feed trough with 16 holes for chicks, L=30 cm <i>Packing in carton: 24 pcs.</i> <i>Animals/feeder: 16 chicks</i> |  |
|  | 124/A | Galvanised feed trough with 24 holes for chicks, L=50 cm <i>Packing in carton: 24 pcs.</i> |  |
|  | 129 | Galvanised hanging feed trough L=700 mm <i>Packing in carton: 24 pcs. – Vol. 0,153 m³ – Kg. 11,70</i> <i>192 pcs. on pallet 120x80x214 cm</i> <i>360 pcs. on pallet 123x100x224 cm</i> |  |
| | 129/A | Galvanised hanging feed trough L=800 mm <i>Packing in carton: 24 pcs.</i> |  |
| | 129/B | Galvanised hanging feed trough L=900 mm <i>Packing in carton: 24 pcs. – Vol. 0,195 m³ – Kg. 14,50</i> <i>192 pcs. on pallet 120x80x214 cm</i> <i>288 pcs. on pallet 126x100x214 cm</i> |  |
| | 129/C | Galvanised hanging feed trough L=1000 mm <i>Packing in carton: 24 pcs. – Vol. 0,214 m³ – Kg. 15,50</i> <i>192 pcs. on pallet 120x84x214 cm</i> <i>288 pcs. on pallet 126x102x214 cm</i> |  |

Hobby Line

TREADLE FEEDERS for poultry

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-------------|--|---|
|  | 7200 | <p>“ALMA” Galvanised treadle feeder – capacity 17 litres</p> <p><i>Packing in carton: 1 pcs. – Vol 0,046 m³ – Kg. 7,83</i> <i>32 pcs. on pallet 120x80x225 cm</i> <i>48 pcs. on pallet 120x100x225 cm</i></p> |  |
|  | 7210 | <p>“ALMA” Galvanised treadle feeder – capacity 28 litres</p> <p><i>Packing in carton: 1 pcs. – Vol 0,062 m³ – Kg. 9,34</i> <i>24 pcs. on pallet 120x80x225 cm</i> <i>32 pcs. on pallet 120x100x225</i></p> |  |

500 KG FEEDER for poultry

| | | | |
|---|-------------|--|---|
|  | 7500 | <p>“GRANDIA” Galvanised feeder for exterior – capacity 500 Kg</p> <p><i>Packing in crate: 15 pcs. – Vol 5,882 m³ – Kg. 1825</i></p> |  |
|---|-------------|--|---|

Hobby Line

FEEDERS for rabbits

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|--------------|---|--|
|  | 131 | Galvanised feeder - 1 compartment <i>Packing in carton: 24 pcs. – Vol. 0,075 m³ – Kg. 8,60</i> <i>528 pcs. on pallet 120x80x236 cm</i> <i>720 pcs. on pallet 120x101x253 cm</i> |  8 068057 258098 |
| | 131/B | Galvanised feeder - 1 compartment, with lid <i>Packing in carton: 24 pcs. – Vol. 0,075 m³ – Kg. 9,80</i> <i>Pallet as in art. 131</i> |  8 068057 259132 |
|  | 131/A | Galvanised feeder - 2 compartments <i>Packing in carton: 12 pcs. – Vol. 0,064 m³ – Kg. 6,50</i> <i>300 pcs. on pallet 120x80x249 cm</i> <i>372 pcs. on pallet 120x108x241 cm</i> |  8 068057 259125 |
| | 131/C | Galvanised feeder - 2 compartments, with lid <i>Packing in carton: 12 pcs. – Vol. 0,064 m³ – Kg. 7,40</i> <i>Pallet as in art. 131/A</i> |  8 068057 259149 |
|  | 132 | Galvanised feeder - 1 compartment Dimensions: width: 145 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 24 pcs. – Vol. 0,123 m³ – Kg. 11,40</i> <i>480 pcs. on pallet 122x86x249 cm</i> <i>480 pcs. on pallet 122x100x229 cm</i> |  8 068057 258104 |
|  | 132/A | Galvanised feeder - 1 compartment, with lid Dimensions: width: 145 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 24 pcs. – Vol. 0,123 m³ – Kg. 12,05</i> <i>Pallet as in art. 132</i> |  8 068057 259156 |
|  | 133 | Galvanised feeder - 2 compartments "Small" Dimensions: width: 190 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 24 pcs. – Vol. 0,164 m³ – Kg. 15,00</i> <i>240 pcs. on pallet 120x80x229 cm</i> <i>360 pcs. on pallet 124x100x229 cm</i> |  8 068057 258111 |
|  | 133/A | Galvanised feeder - 2 compartments "Small", with lid Dimensions: width: 190 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 24 pcs. – Vol. 0,164 m³ – Kg. 16,80</i> <i>Pallet as in art. 133</i> |  8 068057 259163 |

Hobby Line

FEEDERS for rabbits







25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|--------------|--|--|
|  | 134 | Galvanised feeder - 2 compartments "Large" Dimensions: width: 235 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 12 pcs. – Vol. 0,108 m³ – Kg. 8,30</i> <i>192 pcs. on pallet 120x80x214 cm</i> <i>288 pcs. on pallet 120x100x242 cm</i> |  8 068057 258128 |
|  | 134/A | Galvanised feeder - 2 compartments "Large", with lid Dimensions: width: 235 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 12 pcs. – Vol. 0,108 m³ – Kg. 9,70</i> <i>Pallet as in art. 134</i> |  8 068057 259170 |
|  | 135 | Galvanised feeder - 3 compartments Dimensions: width: 292 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 12 pcs. – Vol. 0,123 m³ – Kg. 10,10</i> <i>240 pcs. on pallet 122x86x249 cm</i> <i>240 pcs. on pallet 122x100x229 cm</i> |  8 068057 258135 |
|  | 135/A | Galvanised feeder - 3 compartments, with lid Dimensions: width: 292 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 12 pcs. – Vol. 0,123 m³ – Kg. 11,05</i> <i>Pallet as in art. 135</i> |  8 068057 259187 |
|  | 136/A | Galvanised feeder - 4 compartments, with lid Dimensions: width: 390 mm - height: 232 mm - depth: 133 mm <i>Packing in carton: 12 pcs. – Vol. 0,164 m³ – Kg. 14,09</i> <i>Pallet as in art. 136</i> |  8 068057 259194 |



Hobby Line

FEEDERS - various

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|--|---------------|--|---|
|  | 296 | Plastic chick tray feeder D. 24 cm <i>Packing in carton: 60 pcs. – Vol. 0,031 – Kg 5,92</i> <i>2880 pcs. on pallet 120x80x225 cm</i> <i>3840 pcs. on pallet 120x100x225 cm</i> |  8 068057 258302 |
|  | 297 | Polystyrene chick tray feeder D.40 cm <i>Packing in carton: 40 pcs. – Vol. 0,045 m³ – Kg. 10,8</i> <i>640 pcs. on pallet 120x80x124 cm</i> <i>960 pcs. on pallet 120x108x124 cm</i> |  8 068057 258319 |
|  | 297-06 | NEW Plastic chick tray feeder D.40 cm <i>Packing in carton: 40 pcs. – Vol. 0,045 m³</i> <i>640 pcs. on pallet 120x80x124 cm</i> <i>960 pcs. on pallet 120x108x124 cm</i> |  8 068057 261463 |

FEEDERS for pigeons

| | | | |
|---|--------------|---|--|
|  | 140/D | Feeder <i>Packing in carton: 10 pcs. – Vol. 0,10 m³ – Kg. 4,2</i> <i>180 pcs. on pallet 120x80x235 cm</i> <i>250 pcs. on pallet 120x100x235 cm</i> |  8 068057 259231 |
|---|--------------|---|--|

“ALMA” TREADLE FEEDERS Art. 7200 - 7210


The design of the innovative treadle feeder in 1 mm thick galvanised sheet prevents any feed waste. Stepping on the treadle, the bird opens the tilt door that gives access to the feed. Two birds can eat at the same time. A rubber bumper prevents the tilt door from hitting the feeder back wall. The feeder is pre-assembled, except for the treadle plate and feet, which are mounted easily.

The main features are:

Diamond-shaped lid to avoid stagnant water, already assembled on the feeder.



Anti-drip rim to prevent the feed from getting wet.

Lid blocking button and tilt door hinges made from nylon for a longer life.



Anti-waste nylon grid. It prevents the birds from scooping out the feed.

Knurled knobs to adjust the height of the feed distribution shutter.



Perforated treadle to easily remove dirt and to provide the bird with a steady and comfortable support.

Hook to adjust the weight necessary to open the tilt door: from 0,25 to 2 Kg (rat and vermin proof).



Plastic supporting feet to avoid the direct contact of the sheet with the soil, thus preventing oxidations that compromise the feeder life.

They are available in two capacities:



Art. 7200
“Alma” 17 litres
(approx. 12 Kg of pellet feed)



Art. 7210
“Alma” 28 litres
(approx. 20 Kg of pellet feed)

“COMPACTA” FEEDERS Art. 2005 - 2010 - 2005P - 2010P



Characteristics:

The Compacta feeder by River Systems® is available in two capacities: 12 and 22 litres (about 8,5 and 15,5 Kg of pellet feed).

The feeder is made in first quality durable plastic, the main yellow body is one piece and self-supporting, so there are no central or cross bars. It is very easy to assemble and the feed in the tray can be adjusted using one of the three holes available. The feeder comes complete with a lid and it can either stand or be hung. The anti-waste grill and the hanging loop are integrated parts of the feeder body. The design allows for safe and effective stacking.

The feeder can be purchased with or without the legs that lift it off the ground by 65 mm (about 2,56”); this keeps the feed free from floor contamination and allows the animals to eat more comfortably. The legs can be inserted or removed according to necessity.



Art. 2005
“Compacta” 12 litres



Art. 2005P
“Compacta” 12 litres with legs



Art. 1801
Kit of 4 push-in legs



Art. 2010
“Compacta” 22 litres



Art. 2010P
“Compacta” 22 litres with legs

FEEDERS “ARCUS”

Art. 2110 - 2120 - 2110P - 2120P



Characteristics:

ARCUS is the ideal for those who use the hopper feeders as a tool to feed their animals, as it allows to do it without waste and with the typical simplicity of all the River Systems® products. The metal rod allows several regulation levels of the feed in the tray. The regulation is allowed by a split pin that fixes the plastic cylinder at three different heights.

The anti-waste fins (whose design is registered) have been expressly designed to allow the animals to eat in a correct way, while preventing them from using their beak to spill the feed from the tray. Feed saving will be the immediate result, as well as a cleaner litter. Unwanted animals will not find feed on the ground anymore.

- Tray, cylinder and lid in long-lasting, high quality plastic
- They allow to adjust the feed quantity in the tray
- Designed expressly to optimise the volumes when cylinders and trays are piled (storage and shipment)
- They can be lifted from the ground thanks to the special 65mm high legs. When used with the chicks, the feeder is placed directly on the ground, while the legs become extremely useful for older animals as they allow to keep the feed clean and ensure animals eat more properly and easily
- The hole at the top of the rod allows to hang the feeder



Art. 2110

“Arcus” 9 litres



Art. 2110P

“Arcus” 9 litres with legs



Art. 1801

Kit of 4 push-in legs



Art. 2120

“Arcus” 20 litres



Art. 2120P

“Arcus” 20 litres with legs

FEEDERS “ARCUS GYRO”

Art. 2111 - 2121 - 2111P - 2121P



Characteristics:

Versatile and reliable, as required by people using hopper feeders, ARCUS GYRO is the perfect tool to feed your animals simply and without waste. The particular adjustment system integrated to the nylon bars allows to have as much feed as you want in the tray. The adjustment is made by rotating the cylinder, and the innovative system by steps saves from accidental turning of the cylinder, preventing the animals from changing the set adjustment. The anti-waste fins (whose design is registered) have been expressly designed to allow the animals to eat in a correct way, while preventing them from using their beak to spill the feed from the tray. Feed saving will be the immediate result, as well as a cleaner litter. Unwanted animals will not find feed on the ground anymore.

- Tray, cylinder and lid in long-lasting, high quality plastic
- They allow to adjust the feed quantity in the tray
- Designed expressly to optimise the volumes when cylinders and trays are piled (storage and shipment)
- They can be lifted from the ground thanks to the special 65mm high legs. When used with the chicks, the feeder is placed directly on the ground, while the legs become extremely useful for older animals as they allow to keep the feed clean and ensure animals eat more properly and easily
- The hole at the top of the rod allows to hang the feeder



Art. 2111

“Arcus Gyro” 9 litres



Art. 2111P

“Arcus Gyro” 9 litres with legs



Art. 2121

“Arcus Gyro” 20 litres



Art. 1801

Kit of 4 push-in legs



Art. 2121P

“Arcus Gyro” 20 litres with legs

FEEDERS WITH LEGS

**Art. 2110P - 2120P - 2111P - 2121P - 125/AP - 126/AP - 125/AR/P
126/AR/P - 2005P - 2010P**

The push-in legs by River Systems® lift the plastic feeders by 65 mm (approx. 2,56") off the ground, keeping the feed free from floor contamination, and allowing your animals to eat more comfortably. They can be inserted or removed according to necessity.

They come in a 4-piece kit, all contained within a plastic bag.



The feeders with legs are the following:



Art. 2110P
9 litre "Arcus" feeder
with metal central
rod and legs



Art. 2111P
9 litre "Arcus Gyro"
adjustable feeder
with nylon central
rod and legs



Art. 125/A/P
9 litre feeder with
metal central rod
and legs



Art. 125/AR/P
9 litre adjustable
feeder with nylon
central rod and legs



Art. 2005P
12 litre "Compacta"
feeder with legs



Art. 2120P
20 litre "Arcus"
feeder with metal
central rod and legs



Art. 2121P
20 litre "Arcus Gyro"
adjustable feeder
with nylon central
rod and legs



Art. 126/A/P
20 litre feeder with
metal central rod
and legs



Art. 126/AR/P
20 litre adjustable
feeder with nylon
central rod and legs



Art. 2010P
22 litre "Compacta"
feeder with legs

**500 KG GALVANISED FEEDER “GRANDIA”
Art. 7500**



Side view

Side view with
open partitions



Views with upper cover open



Possibility of lifting by forklift thanks to the special legs



500 KG GALVANISED FEEDER “GRANDIA”

The details

The opening process of the partitions



When the partitions are closed, the chain is hanging on the hook at the base of the partition itself and to the protection roof



Pull the chain to lift the partition




Hang the chain to the hook on the feeder wall to keep the partition open



Upper view of the open feeder



Detail of the open feeder with the central support



Detail of feed distribution

TURKEY FEEDERS

Art. 127/AA - 127/AB

In order to improve our range of products, River Systems® has created a variation of its metal feeder art. 127/AA as well as some accessories that will offer various applications.



Art. 127/AA

It combines the tray of the 40 Kg feeder and the cylinder of the 18 Kg one, allowing increased feeding space. The vertical rod is hollow.

Art. 127/AB

It's exactly as art. 127/AA, but with solid vertical rod that prevents the formation of bacteria due to the possible accumulation of feed inside the hollow bar. It reduces the necessary cleaning time and operations.

The rod is supplied with pre-drilled holes to regulate the cylinder at various heights.



Both art. 127/AA and art. 127/AB can be provided with the following accessories. You can choose from:



Art. 126/B
Standard plastic cover



Art. 126/F
Perforated plastic cover, allows filling the feeder by flexible auger



Art. 127/C
Galvanised anti-waste ring with external reinforcing and anti-cut rim. Manufactured for easy assembly on the feeder tray due to the adjustable design.



Hobby Line

INCUBATORS

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|--|---|
|  | 512 | <p>“ET 12” Digital semi-automatic incubator, capacity 12 eggs (48 quail eggs), with temperature setting</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,00</i> <i>54 pcs. on pallet 120x80x235 cm</i> <i>81 pcs. on pallet 120x110x235 cm</i></p> |  |
|  | 512/A | <p>“ET 12” Digital incubator, capacity 12 eggs (48 quail eggs), with temperature setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50</i> <i>54 pcs. on pallet 120x80x235 cm</i> <i>81 pcs. on pallet 120x110x235 cm</i></p> |  |
|  | 512/BM | <p>“ET 12” Digital semi-automatic incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature setting</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,00</i> <i>54 pcs. on pallet 120x80x235 cm</i> <i>81 pcs. on pallet 120x110x235 cm</i></p> |  |
|  | 512/ABM | <p>“ET 12” Digital incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50</i> <i>54 pcs. on pallet 120x80x235 cm</i> <i>81 pcs. on pallet 120x110x235 cm</i></p> |  |
|  | 524 | <p>“ET 24” Digital semi-automatic incubator, capacity 24 eggs (96 quail eggs), with temperature setting</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,044 – Kg 4,30</i> <i>36 pcs. on pallet 120x80x234 cm</i> <i>54 pcs. on pallet 120x103x234 cm</i> <i>In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p> |  |
|  | 524/A | <p>“ET 24” Digital incubator, capacity 24 eggs (96 quail eggs), with temperature setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70</i> <i>36 pcs. on pallet 120x80x234 cm</i> <i>54 pcs. on pallet 120x103x234 cm</i> <i>In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p> |  |













Hobby Line
INCUBATORS

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|--|-----------------|--|---|
|  | 524/BM | <p>“ET 24” Digital semi-automatic incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature setting</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,044 – Kg 4,30</i> <i>36 pcs. on pallet 120x80x234 cm</i> <i>54 pcs. on pallet 120x103x234 cm</i> <i>In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p> |  |
|  | 524/A/BM | <p>“ET 24” Digital incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70</i> <i>36 pcs. on pallet 120x80x234 cm</i> <i>54 pcs. on pallet 120x103x234 cm</i> <i>In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p> |  |
|  | 549 | <p>“ET 49” Digital semi-automatic incubator, capacity 49 eggs (196 quail eggs), with temperature setting</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,071 – Kg 6,20</i> <i>28 pcs. on pallet 120x81x249 cm</i> <i>40 pcs. on pallet 120x114x249 cm</i> <i>In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p> |  |
|  | 549/A | <p>“ET 49” Digital incubator, capacity 49 eggs (196 quail eggs), with temperature setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50</i> <i>28 pcs. on pallet 120x81x249 cm</i> <i>40 pcs. on pallet 120x114x249 cm</i> <i>In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p> |  |
|  | 549/BM | <p>“ET 49” Digital semi-automatic incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature setting</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,071 – Kg 6,20</i> <i>28 pcs. on pallet 120x81x249 cm</i> <i>40 pcs. on pallet 120x114x249 cm</i> <i>In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p> |  |
|  | 549/A/BM | <p>“ET 49” Digital incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50</i> <i>28 pcs. on pallet 120x81x249 cm</i> <i>40 pcs. on pallet 120x114x249 cm</i> <i>In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p> |  |

Hobby Line
INCUBATORS

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-------------------|---|--|
|  | 512/A/S | NEW "ET 12" SUPER Digital incubator, capacity 12 eggs (48 quail eggs), with temperature and humidity setting + "Ovomatic" egg turning unit <i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50</i> <i>54 pcs. on pallet 120x80x235 cm</i> <i>81 pcs. on pallet 120x110x235 cm</i> |  8 068057 261470 |
|  | 512/A/S/BM | NEW "ET 12" SUPER Digital incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature and humidity setting + "Ovomatic" egg turning unit <i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50</i> <i>54 pcs. on pallet 120x80x235 cm</i> <i>81 pcs. on pallet 120x110x235 cm</i> |  8 068057 261500 |
|  | 524/A/S | NEW "ET 24" SUPER Digital incubator, capacity 24 eggs (96 quail eggs), with temperature and humidity setting + "Ovomatic" egg turning unit <i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70</i> <i>36 pcs. on pallet 120x80x234 cm</i> <i>54 pcs. on pallet 120x103x234 cm</i> <i>In container: 20': 584 pcs./ 40': 1.184 pcs.</i> |  8 068057 261487 |
|  | 524/A/S/BM | NEW "ET 24" SUPER Digital incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature and humidity setting + "Ovomatic" egg turning unit <i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70</i> <i>36 pcs. on pallet 120x80x234 cm</i> <i>54 pcs. on pallet 120x103x234 cm</i> <i>In container: 20': 584 pcs./ 40': 1.184 pcs.</i> |  8 068057 261517 |
|  | 549/A/S | NEW "ET 49" SUPER Digital incubator, capacity 49 eggs (196 quail eggs), with temperature and humidity setting + "Ovomatic" egg turning unit <i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50</i> <i>28 pcs. on pallet 120x81x249 cm</i> <i>40 pcs. on pallet 120x114x249 cm</i> <i>In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i> |  8 068057 261494 |
|  | 549/A/S/BM | NEW "ET 49" SUPER Digital incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature and humidity setting + "Ovomatic" egg turning unit <i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50</i> <i>28 pcs. on pallet 120x81x249 cm</i> <i>40 pcs. on pallet 120x114x249 cm</i> <i>In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i> |  8 068057 261524 |

Hobby Line

INCUBATORS - accessoires

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------------|---|--|
|  | 549/A/24S | NEW "ET 49 SOLARIS" Digital incubator, capacity 49 eggs (196 quail eggs), operating at 24V, to be matched to the SOLARIS control unit |  8 068057 261531 |
|  | 570 | NEW "SOLARIS" Control unit to feed the 24V incubator with mains supply, solar power and car batteries |  8 068057 261548 |
|  | 556M-1 | "OVOMATIC" Egg turning unit for ET 12, ET 24 and ET 49 incubators <i>Packing in carton: 1 pcs. – Vol.. 0,0027 – Kg 0,60</i> |  0 808805 692118 |
|  | 556M-90 | "OVOMATIC" IN COLOUR PACKAGING Egg turning unit for ET 12, ET 24 and ET 49 incubators in colour packaging <i>Packing in carton: 1 pcs. – Vol.. 0,0027 – Kg 0,60</i> |  8 068057 260930 |
|  | 557M | NEW "OVOLVO" Egg turning unit for ET 12, ET 24, ET 49, ET 12 SUPER, ET 24 SUPER and ET 49 SUPER incubators: control of min./max tilting degree, oscillation time and random function |  8 068057 261555 |
|  | 560 | NEW "NEBULA" Ultrasonic humidifier for humidity control <i>Packing in carton: 1 pcs. – Vol. 0,0027 – Kg 1,20</i> |  8 068057 261036 |
|  | 164 | Egg candler <i>Packing in carton</i> |  8 068057 258272 |

“ET 12” DIGITAL INCUBATORS

Art. 512 - 512/A - 512/BM - 512/A/BM

The 12 egg digital incubators by River Systems® are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 12 medium/large eggs or 48 small eggs (e.g. quail). ET 12 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

Technical characteristics of incubator:

Capacity: 12 hen-eggs or similar / 48 quail-eggs
 Voltage: single phase, 230 V CE
 Rated frequency: 50/60 Hz
 Average daily consumption: max. 1 kW/24 h
 Maximum power: 80W

Technical characteristics of egg turning unit:

Voltage: single phase, 230 V CE
 Rated frequency: 50/60 Hz
 Average daily consumption: max. 3W
 1 tilting every 2 hours



The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.



Digital display. It is possible to **set the temperature** from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).



The **inspection windows** allow you to follow all the stages of incubation.



Openings to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.



Plastic floor where to lay the eggs three days before hatching (included).



The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit.



The egg cradle specific design allows to accommodate both **small eggs** (up to 4 quail eggs) and **large eggs** (like goose eggs).

“ET 24” DIGITAL INCUBATORS

Art. 524 - 524/A - 524/BM - 524/A/BM

The 24 egg digital incubators by River Systems® are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 24 medium/large eggs or 96 small eggs (e.g. quail).

ET 24 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

Technical characteristics of incubator:

Capacity: 24 hen-eggs or similar / 96 quail-eggs

Voltage: single phase, 230 V CE

Rated frequency: 50/60 Hz

Average daily consumption: max. 1,7 kW/24 h

Maximum power: 130W

Technical characteristics of egg turning unit:

Voltage: single phase, 230 V CE

Rated frequency: 50/60 Hz

Average daily consumption: max. 3W

1 tilting every 2 hours



The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.



Digital display. It is possible to **set the temperature** from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).



The **inspection windows** allow you to follow all the stages of incubation.



Openings to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.



Plastic floor where to lay the eggs three days before hatching (included).



The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit.



The egg cradle specific design allows to accommodate both **small eggs** (up to 4 quail eggs) and **large eggs** (like goose eggs).

“ET 49” DIGITAL INCUBATORS

Art. 549 - 549/A - 549/BM - 549/A/BM

The 49 egg digital incubators by River Systems® are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 49 medium/large eggs or 196 small eggs (e.g. quail).

ET 49 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

Technical characteristics of incubator:

Capacity: 49 hen-eggs or similar / 196 quail-eggs

Voltage: single phase, 230 V CE

Rated frequency: 50/60 Hz

Average daily consumption: max. 2,3 kW/24 h

Maximum power: 170W

Technical characteristics of egg turning unit:

Voltage: single phase, 230 V CE

Rated frequency: 50/60 Hz

Average daily consumption: max. 3W

1 tilting every 2 hours



The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.



Digital display. It is possible to **set the temperature** from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).



The **inspection windows** allow you to follow all the stages of incubation.



Openings to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.



Plastic floor where to lay the eggs three days before hatching (included).



The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit.



The egg cradle specific design allows to accommodate both **small eggs** (up to 4 quail eggs) and **large eggs** (like goose eggs).

ULTRASONIC HUMIDIFIER FOR HUMIDITY CONTROL “NEBULA®” Art. 560

The patented NEBULA® system can control humidity so that the set value is attained and kept constant, without producing wide, longlasting and unwanted fluctuations in temperature and humidity during the incubation.

In fact, thanks to its continuous variable system, NEBULA® supplies energy to the water by means of an ultrasound generator, producing microscopic droplets (fog effect). The supplied hose conveys the droplets to the incubator. Getting in contact with the heat, the droplets instantly evaporate creating humidity that the fan in the incubator homogenises. Moreover, the functioning of NEBULA® is not affected by the surrounding area conditions.

Characteristics:

Tank capacity: 2L

voltage: 230 Volt 50/60 Hz single phase



Flexible hose. Connects NEBULA® to the incubator and conveys inside it the microscopic droplets made by the ultrasonic system.

Incubator lid/hose connection. The connection and the nut link NEBULA® to any small/medium capacity incubator through a ø23mm hole.

The **base** has a security float that signals low water level by means of the related icon on the display. A centrifugal fan conveys the droplets from NEBULA®'s base into the incubator.

Skidproof feet

Digital display. Allows the regulation of humidity from 30% to 90% and shows the days of incubation. The display shows also the intensity of NEBULA®'s functioning and its alarms.

Mini USB. Connects NEBULA® to the humidity sensor to be placed inside the base of the incubator.















PLUCKING MACHINES



Hobby Line

PLUCKING MACHINES













25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------------------|---|---|
|  | <p>148/1-2</p> | <p>“PIUMINA STANDARD” Wet plucking machine in stainless steel, with 24 finger aluminium roller, for poultry and similar. Production 30-40 birds/hour – motor 0,25 KW one-phase <i>Packing in carton: 1 pcs. – Vol. 0,14 m³ – Kg. 19,0</i> <i>20 pcs. on pallet 120x80x231 cm</i> <i>30 pcs. on pallet 120x100x231 cm</i></p> |  |
|  | <p>148/1-2S</p> | <p>“PIUMINA SUPER” Wet plucking machine in stainless steel, with 30 finger aluminium roller, for poultry and similar. Production 30-40 birds/hour – motor 0,25 KW one-phase <i>Packing in carton: 1 pcs. – Vol. 0,14 m³ – Kg. 19,0</i> <i>20 pcs. on pallet 120x80x231 cm</i> <i>30 pcs. on pallet 120x100x231 cm</i></p> |  |
|  | <p>148/1-2Q</p> | <p>“PIUMINA QUAILS” Wet plucking machine in stainless steel, with 36 finger aluminium roller, for quails and similar. Production 30-40 birds/hour – motor 0,25 KW one-phase <i>Packing in carton: 1 pcs. – Vol. 0,14 m³ – Kg. 19,0</i> <i>20 pcs. on pallet 120x80x231 cm</i> <i>30 pcs. on pallet 120x100x231 cm</i></p> |  |
|  | <p>148-2</p> | <p>“PIUMONA” Wet plucking machine in stainless steel, with 54 finger aluminium roller, for poultry and similar. Production 50-80 birds/hour – motor 0,25 KW one-phase <i>Packing in carton: 1 pcs. – Vol. 0,314 m³ – Kg. 35</i></p> |  |
|  | <p>9900</p> | <p style="text-align: center;">NEW</p> <p>“CYLINDRA” Rotary wet plucking machine Capacity: about 30sec to pluck up to 3-4 free-range chickens of 1,5kg at the same time – motor 0,75 KW single phase <i>Packing in carton: 1 pcs. – Kg. 58</i></p> |  |
|  | <p>9920</p> | <p style="text-align: center;">NEW</p> <p>“CYLINDRA BASICA” Rotary wet plucking machine Capacity: about 30sec to pluck up to 3-4 free-range chickens of 1,5kg at the same time – motor 0,75 KW single phase <i>Packing in carton: 1 pcs. – Kg. 56</i></p> |  |

Hobby Line

PLUCKING MACHINES - accessories







25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-----------------|---|--|
|  | 46148100 | STANDARD ROLLER Accessory 24-finger roller in aluminium for "Piumina" plucking machine (for poultry) <i>Packing in carton</i> |  8 068057 258883 |
|  | 46148110 | "SUPER" ROLLER Accessory 30-finger roller in aluminium for "Piumina" plucking machine (for poultry) <i>Packing in carton</i> |  8 068057 258890 |
|  | 46148120 | QUAIL ROLLER Accessory 36-finger roller in aluminium for "Piumina" plucking machine (for quails) <i>Packing in carton</i> |  8 068057 258906 |
|  | 161 | Chicken plucking finger <i>Packing in carton</i> |  8 068057 258265 |
|  | 161/Q | Quail plucking finger <i>Packing in carton</i> |  8 068057 259538 |
|  | 161-01 | Plucking finger for Cylindra <i>Packing in carton</i> |  8 068057 261432 |

Hobby Line

PLUCKING MACHINES - accessories

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|--|---------------------|--|--|
|  | <p>160</p> | <p>Slaughtering tongs <i>Packing in carton</i></p> |  8 068057 258258 |
|  | <p>213</p> | <p>Funnel for slaughtering unit <i>Packing in carton</i></p> |  8 068057 258296 |
|  | <p>213/A</p> | <p>Funnel for slaughtering unit with support <i>Packing in carton</i></p> |  8 068057 259545 |

“PIUMINA” PLUCKING MACHINES, CAP. 30-40 BIRDS/HOUR

Art. 148/1-2 - 148/1-2S - 148/1-2Q

The “PIUMINA” plucking machine has been both technically and aesthetically completely revised. Furthermore, it is produced in **three** versions:

1. Art. 148/1-2 (**PIUMINA STANDARD**) with 24 chicken plucking fingers
2. Art. 148/1-2S (**PIUMINA SUPER**) with 30 chicken plucking fingers
3. Art. 148/1-2Q (**PIUMINA QUAILS**) with 36 quail plucking fingers



Emergency OFF button incorporated in normal ON/OFF switch.

Reinforcement of the motor support.

New legs in square section galvanised steel, shaped to grant the perfect stability of the machine.



The lateral hole allows for easy installation of the optional accessory roller.



Adjustable feet guarantee working stability on uneven surfaces.

STANDARD ROLLER



Art. 46148100 – 24 finger chicken roller in aluminium (preassembled on art. 148/1-2)

“SUPER” ROLLER



Art. 46148110 – 30 finger chicken roller in aluminium (preassembled on art. 148/1-2S)

QUAIL ROLLER



Art. 46148120 – 36 finger quail roller in aluminium (preassembled on art. 148/1-2Q)

Specifications:

- Capacity: 30/40 birds/h
- Dimensions plucking machine: 510x410x760 mm - Weight: Kg 19 – Packing dimensions: 600x300x440 mm
- Body in stainless steel with removable protecting film in PVC
- Electric motor: 220/230V single phase, 50Hz - Input: kW 0,25
- Pressure die-cast aluminium roller featuring 24/30/36 replaceable rubber fingers

“PIUMONA” PLUCKING MACHINE, CAP. 50-80 BIRDS/HOUR Art. 148-2

The “PIUMONA” plucking machine has been both technically and aesthetically revised. Now the machine is:

- **STEADIER** thanks to the reinforced body;
- **SAFER** thanks to the emergency OFF button incorporated in the normal ON/OFF switch;
- **MORE PROTECTED**: the stainless steel parts are covered by a removable film.



Specifications:

- Capacity: 50/80 birds/hour
- Dimensions plucking machine: 600x500x1110 mm
- Dimensions carton: 640x570x1080 mm
- Weight: Kg 33,5
- Body and protection hood in stainless steel with removable protecting film in PVC
- Electric motor: 220/230V single-phase, 50Hz
- Input: kW 0,25
- Pressure die-cast aluminium roller featuring 54 replaceable rubber fingers.



GRINDING MILLS



GRINDING MILL “MISTRAL 50L” Art. 650P

| Art. 650P MISTRAL 50L | |
|----------------------------|--|
| Mistral 50 dimensions | 44x44x101 cm |
| Packing dimensions | 45x45x67 cm |
| Gross weight Net weight | 9.60 Kg / 21,16 Lb 7,70 Kg / 16,98 Lb |
| Power | 1,6 HP 1,2 kW |
| Hourly output | 40/200 Kg/h |



Shaped steel metal knife for an optimal and uniform grinding.

GRINDING MILL “MISTRAL 50L” (50 litre plastic bin)

Handy and with reduced dimensions, it grinds any kind of grains: corn, barley, oats, rye, wheat, millet, pepper, etc. Cool milling without dust.

Output per hour

It may vary according to the product to grind, to its dampness and to the sieve used.

- with supplied sieves (Ø 2 – 4 – 6 – 8 mm, in pressed galvanized sheet): approx. 100-200 Kg/h
- with optional sieves (Ø 0,6 – 0,8 – 1,5 mm): approx. 40-70 Kg/h. Ø 0,6 mm sieve is in stainless steel – Ø 0,8 and 1,5 mm sieves are in pressed galvanized sheet.

Hopper capacity: Kg 10. The machine can be started only with full hopper.

Grinding knife: made of high resistance steel.

Special type collector motor, single-phase only, voltage 220V, 50 Hz, 12.000 rpm. Ground terminal wiring according to C.E.I. regulations.

*Packing in carton: 1 pcs. – Vol. 0,135 m³ – Kg. 9,12
16 Pcs. on pallet 120x90x242 cm
20 Pcs. on pallet 134x90x242 cm*











Hobby Line

GRINDING MILL - accessories

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-----------------------|---|--|
|  | <p>650P0,6</p> | <p>Stainless steel sieve, holes diam. 0,6 mm</p> |  8 068057 260954 |
|  | <p>650P0,8</p> | <p>Galvanised sieve, holes diam. 0,8 mm</p> |  8 068057 260961 |
|  | <p>650P1,5</p> | <p>Galvanised sieve, holes diam. 1,5 mm</p> |  8 068057 260978 |

ACCESSORIES



Hobby Line

ACCESSORIES



25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|------|--|-------------|--|
| | 4304-00 Extension L= 5,5 cm <i>Packing in bag: 100 pcs.</i> | | |
| | 4305-00 Extension L= 12 cm <i>Packing in bag: 100 pcs.</i> | | |
| | 4308-00 Extension L= 9 cm <i>Packing in bag: 100 pcs.</i> | | |
| | 4332-00 Elbow extension <i>Packing in bag: 100 pcs.</i> | | |
| | 4307-04 Clamp bracket for extension <i>Packing in carton: 100 pcs.</i> | | |
| | 4311-00 Hose connector, internal thread 1/2" for hose 1/2" | | |
| | 4215-05 Washer 1/2", internal thread <i>Packing in bag: 50 pcs.</i> | | |
| | 4313-00 Elbow hose connector with sleeve cap nut 1/2" <i>Packing in bag: 100 pcs.</i> | | |
| | 4330-06 Hose connector, external thread 1/2" for hose 3/4" <i>Packing in bag: 100 pcs.</i> | | |
| | 4331-06 Hose connector, external thread 1/2" for hose 1/2" <i>Packing in bag: 100 pcs.</i> | | |

Hobby Line

ACCESSORIES















25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|---|--|
|  | 4378-00 | Clamp with sleeve cap nut 1/2" , for pipe D. 25 – 26,7 <i>Packing in carton</i> |  8 068057 260336 |
| | 4379-00 | Clamp with sleeve cap nut 1/2" , for pipe D. 26,7 <i>Packing in carton</i> |  8 068057 260596 |
|  | 4372-04 | Hose connector thread 1/8" for black hose 6 x 9 <i>Packing in bag: 50 pcs.</i> |  8 068057 260305 |
|  | 4333-00 | Adapter for stainless steel nipple D. 10 mm <i>Packing in bag</i> |  8 068057 260091 |
| | 4335-00 | Adapter for combi nipple D. 10 mm <i>Packing in bag</i> |  8 068057 260107 |
|  | 9303-05 | Elbow connector for D. 10 mm hose <i>Packing in bag: 100 pcs.</i> |  8 068057 250589 |
|  | 146 | Tee connector 10 mm <i>Packing in bag: 100 pcs.</i> |  8 068057 258241 |
|  | 146/A | Elbow connector 10 mm <i>Packing in bag: 100 pcs.</i> |  8 068057 259460 |
|  | 146/B | Cross connector 10 mm <i>Packing in bag: 100 pcs.</i> |  8 068057 259477 |
|  | 146/C | Straight connector 10 mm <i>Packing in bag: 100 pcs.</i> |  8 068057 259484 |
|  | 146/F | End cap 10 mm <i>Packing in bag: 100 pcs.</i> |  8 068057 259514 |

Hobby Line

ACCESSORIES


25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|--|---|
|  | 4040-00 | Automatic drinker Art.4007-00 with 5 cm extension <i>Packing in carton: 500 pcs.</i> |  |
| | 4041-00 | Automatic drinker Art.4007-00 with 9 cm extension <i>Packing in carton: 500 pcs.</i> |  |
| | 4042-00 | Automatic drinker Art.4007-00 with 12 cm extension <i>Packing in carton: 500 pcs.</i> |  |
|  | 4047-00 | Automatic drinker Art.4006-00 with 5 cm extension <i>Packing in carton: 800 pcs.</i> |  |
| | 4048-00 | Automatic drinker Art.4006-00 with 9 cm extension <i>Packing in carton: 500 pcs.</i> |  |
| | 4049-00 | Automatic drinker Art.4006-00 with 12 cm extension <i>Packing in carton: 500 pcs.</i> |  |
|  | 4006-00 | Combi drinker (small) – for adult birds <i>Packing in carton: 500 pcs.</i> |  |
|  | 4007-00 | Automatic drinker (big) – for chicks <i>Packing in carton: 500 pcs.</i> |  |
|  | 4060 | Starter cup to snap on square pipe – adapter for stainless steel nipple <i>Packing in carton: 200 pcs.</i> |  |
| | 4060-1 | Starter cup to snap on square pipe – adapter for nipple with plastic body <i>Packing in carton: 200 pcs.</i> |  |

Hobby Line

ACCESSORIES






25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|--|--|
|  | 4017-01 | SNAP-CUP for square pipe <i>Packing in carton: 500 pcs.</i> |  8 068057 259837 |
|  | 4019-01 | SNAP-CUP for square pipe, 90° turned <i>Packing in carton: 500 pcs.</i> |  8 068057 259844 |
|  | 4612-01 | Drip cup small <i>Packing in carton: 500 pcs.</i> |  8 068057 260398 |
| | 4617-01 | Drip cup big <i>Packing in carton: 250 pcs.</i> |  8 068057 260404 |
|  | 4011-01 | Mini-drinker, red for chicks, connection to 6x9 hose mm (T-piece excluded) <i>Packing in carton: 25 pcs.</i> |  8 068057 259820 |
|  | 4336-07 | T-piece for connection in series of Mini-drinkers <i>Packing in bag</i> |  8 068057 260114 |

Hobby Line

ACCESSORIES















25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-----------------------|--|--|
|  | <p>4510-09</p> | <p>Brooder guard 400x800 mm, for rearing pen <i>Packing in carton: 72 pcs.</i></p> |  <p>8 068057 260350</p> |
|  | <p>4511-09</p> | <p>Stabiliser for the cut for drinking line <i>Packing in carton: 25 pcs.</i></p> |  <p>8 068057 260367</p> |
|  | <p>4512-09</p> | <p>Connecting hinge for brooder guard (2 per brooder guard) <i>Packing in bag</i></p> |  <p>8 068057 260374</p> |
|  | <p>4513-04</p> | <p>Support for brooder guard <i>Packing in carton</i></p> |  <p>8 068057 260381</p> |

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------------------|--|--|
|  | 145/D | Stainless steel nipple drinker - vertical <i>Packing in carton: 1500 pcs.</i> |  8 068057 259361 |
|  | 4003 | Stainless steel push nipple - vertical <i>Packing in carton: 1200 pcs.</i> |  8 068057 258364 |
|  | 4022 | Stainless steel nipple – multidirectional <i>Packing in carton: 1500 pcs.</i> |  8 068057 258371 |
|  | 145/B | Clip drinker in stainless steel, complete with nipple holder and stainless steel nipple – for rabbits <i>Packing in carton: 300 pcs. – Vol 0,027 m³ – Kg. 9,0</i> |  8 068057 259347 |
|  | 145/B/ CLIP | Stainless steel clip with nipple holder – for rabbits <i>Packing in carton</i> |  8 068057 259354 |
|  | 145/M | Screw bracket drinker (screws excluded) complete with nipple holder, T connection and stainless steel nipple – for rabbits <i>Packing in carton: 300 pcs. – Vol 0,027 m³ – Kg. 13,5</i> |  8 068057 259439 |
|  | 145/M/ CLIP | Screw bracket (screws excluded) complete with nipple holder, T connection – for rabbits <i>Packing in carton</i> |  8 068057 259446 |

Hobby Line

ACCESSORIES













25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|------|----------------|--|---------------------|
| | 145/EN | Water tank with cover and ball valve – black <i>Packing in carton: 50 pcs.</i> | 8 068057 259385 |
| | 145/E | Water tank with cover and ball valve – white <i>Packing in carton: 50 pcs.</i> | 8 068057 259378 |
| | 4204-04 | Ball valve with two nozzles, 1/2" thread <i>Packing in carton: 50 pcs.</i> | 8 068057 259774 |
| | 4205 | Mini ball-valve 1/2" <i>Packing in carton: 50 pcs.</i> | 8 068057 258395 |
| | 146/E | 10 mm plastic outlet, complete <i>Packing in bag</i> | 8 068057 259507 |
| | 4209-00 | Elbow outlet 3/4" <i>Packing in carton: 25 pcs.</i> | 8 068057 259798 |
| | 4249-00 | Straight outlet 3/4" <i>Packing in carton: 25 pcs.</i> | 8 068057 259903 |
| | 4357-04 | Plug R 1/8" <i>Packing in bag: 50 pcs.</i> | 8 068057 260244 |
| | 4216-04 | Plug R 1/2" <i>Packing in bag: 25 pcs.</i> | 8 068057 259835 |

Hobby Line

ACCESSORIES

















25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|--|---|--|
|  | 4217-00 Plastic nut 3/4" <i>Packing in bag: 25 pcs.</i> |  <small>8 068057 259842</small> | |
| | 4218-00 Plastic nut 1/2" <i>Packing in bag: 25 pcs.</i> |  <small>8 068057 259859</small> | |
|  | 4212-05 Gasket 3/4" for external thread <i>Packing in bag</i> |  <small>8 068057 259804</small> | |
| | 4213-05 Gasket 3/4" for internal thread <i>Packing in bag</i> |  <small>8 068057 259811</small> | |
|  | 4225-00 Breather unit to glue on square pipe <i>Packing in carton: 100 pcs.</i> |  <small>8 068057 259866</small> | |
| | 4226-00 Breather unit to glue on D.25 round pipe <i>Packing in carton: 100 pcs.</i> |  <small>8 068057 259873</small> | |
| | 4246-00 Breather unit to glue on D.26,7 round pipe <i>Packing in carton: 50 pcs.</i> |  <small>8 068057 259897</small> | |
|  | 4245-00 Breather unit with tube connector <i>Packing in carton: 50 pcs.</i> |  <small>8 068057 259880</small> | |

Hobby Line

ACCESSORIES






25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|---|--|
|  | 4373-04 | Transition piece for square pipe 22x22 to round one 3/4" <i>Packing in bag: 25 pcs.</i> |  8 068057 260312 |
| | 4374-04 | Transition piece for square pipe 22x22 to D.25 round one <i>Packing in bag: 25 pcs.</i> |  8 068057 260329 |
|  | 4303-04 | Elbow transition piece for square pipe 22x22 to round one 3/4" <i>Packing in bag: 25 pcs.</i> |  8 068057 259910 |
|  | 4375 | Transition piece for square pipe 22x22 to round D. 10,5 <i>Packing in bag: 25 pcs.</i> |  8 068057 260749 |
|  | 4348-04 | Push coupler for square pipe 22x22 (L=14 cm) <i>Packing in carton: 300 pcs.</i> |  8 068057 260176 |
| | 4353-04 | Push coupler for square pipe 22x22 (L=6 cm) <i>Packing in carton: 300 pcs.</i> |  8 068057 260206 |
|  | 4351-04 | Glue coupler for square pipe 22x22 <i>Packing in bag: 25 pcs.</i> |  8 068057 260183 |
|  | 4352-04 | Long glue coupler for square pipe 22x22 <i>Packing in bag: 25 pcs.</i> |  8 068057 260190 |
|  | 4354-04 | Glue/push coupler for square pipe 22x22 <i>Packing in bag: 25 pcs.</i> |  8 068057 260213 |

Hobby Line

ACCESSORIES




25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|---|--|
|  | 4355-04 | T-glue coupler for square pipe 22x22 <i>Packing in bag: 25 pcs.</i> |  8 068057 260220 |
|  | 4358-04 | Elbow glue coupler for square pipe 22x22 <i>Packing in bag: 25 pcs.</i> |  8 068057 260251 |
|  | 4343-04 | Elbow glue coupler D.25 mm inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260145 |
| | 4323-04 | Elbow glue coupler 3/4" inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260022 |
|  | 4341-04 | Glue cap, D.25 mm inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260121 |
| | 4342-04 | Glue cap, D.25 mm inside, with breather <i>Packing in bag: 25 pcs.</i> |  8 068057 260138 |
| | 4322-04 | Glue cap 3/4" inside with breather <i>Packing in bag: 25 pcs.</i> |  8 068057 260015 |
|  | 4344-04 | T glue coupler D.25 mm inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260152 |
| | 4324-04 | T glue coupler 3/4" inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260039 |

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|---|--|
|  | 4345-04 | Transition piece D.25 mm inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260169 |
| | 4325-04 | Transition piece 3/4" inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260046 |
|  | 4356-04 | Transition piece 3/4" thread to D.25 mm inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260237 |
| | 4328-04 | Transition piece 3/4" to round pipe 3/4" inside <i>Packing in bag: 25 pcs.</i> |  8 068057 260053 |
|  | 4361-05 | Expansion connector for square pipe 22x22 <i>Packing in carton: 400 pcs.</i> |  8 068057 260268 |
|  | 4363-05 | Expansion connector for square pipe 22x22 with clips <i>Packing in carton: 400 pcs.</i> |  8 068057 260275 |
|  | 4365-05 | Tube connector for square pipe 22x22 <i>Packing in carton: 500 pcs.</i> |  8 068057 260282 |
|  | 4367-05 | Tube connector for square pipe 22x22 with clips <i>Packing in carton: 500 pcs.</i> |  8 068057 260299 |
|  | 4392 | Stainless steel clip <i>Packing in carton: 1500 pcs.</i> |  8 068057 258401 |









Hobby Line
ACCESSORIES

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|---|--|
|  | 4102-04 | PVC square pipe 22x22 – length: on request <i>Packing in bundle : 500 pcs.</i> |  8 068057 259729 |
|  | 4106-04 | PVC round pipe D.25 mm x 2,4 ND 16 – length: on request <i>Packing in bundle : 500 pcs.</i> |  8 068057 259750 |
|  | 4103-08 | PVC clear pipe 3/4" <i>Packing in roll: 50 m</i> |  8 068057 259736 |
|  | 4109-05 | PVC black pipe 3/4" <i>Packing in roll: 50 m</i> |  8 068057 259767 |
|  | 4105-05 | PVC black pipe 6x9 (for Mini-drinker) <i>Packing in roll: 50 m</i> |  8 068057 259743 |
|  | 146/D | PVC black pipe D. 10 mm <i>Packing in roll: 100 m</i> |  8 068057 259491 |
|  | 4315-00 | Clip for 22x22 nipple pipe <i>Packing in carton: 3000 pcs.</i> |  8 068057 259989 |
|  | 4316-01 | Clamp bracket for 22x22 nipple pipe <i>Packing in carton: 2500 pcs.</i> |  8 068057 259996 |



Hobby Line
ACCESSORIES

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|----------------|--|--|
|  | 4405 | Tube of TANGIT glue for PVC, 125 g <i>Packing in carton</i> |  8 068057 258418 |
|  | 4411 | Scissors for square and round pipe <i>Packing in bag</i> |  8 068057 258425 |
|  | 4414 | Pliers for clips <i>Packing in bag</i> |  8 068057 258432 |
|  | 4442 | Drill bit D. 9,1 for nipple art. 4022 <i>Packing in bag</i> |  8 068057 258449 |
| | 4452 | Drill bit D. 8,9 for nipple art. 145/D <i>Packing in bag</i> |  8 068057 258463 |
|  | 4443 | Roller tap R 1/8" <i>Packing in bag</i> |  8 068057 258456 |
|  | 4401-05 | Nipple key for nipple art. 145/D, 4022 <i>Packing in bag</i> |  8 068057 260343 |

**Hobby Line****ACCESSORIES**













25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|------------|---|--|
|  | 170 | Galvanised card holder dim. 11,2x17,4 cm <i>Packing in carton: 50 pcs</i> |  8 058057 258289 |

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-----------------------|---|---|
|  | <p>1510-01</p> | <p>Plastic crate for chicken transportation, dim. 95,5x57,0x27,5 cm – 1 upper sliding door dim. 40x36 cm – capacity 15-18 chicken *</p> <p><i>Packing in bundle: 1 pcs. - Vol: 0,024 m³ - Kg 7,5</i> <i>50 pcs. on pallet 110x130x235 cm</i> <i>In container 20': 640 pcs. stacked</i></p> |  |
|  | <p>1511-01</p> | <p>Plastic crate for chicken transportation, dim. 95,5x57,0x27,5 cm – 1 upper sliding door dim. 40x36 cm + 1 front door – capacity 15-18 chicken *</p> <p><i>Packing in bundle: 1 pcs. - Vol: 0,024 m³ - Kg 7,5</i> <i>50 pcs. on pallet 110x130x235 cm</i> <i>In container 20': 640 pcs. stacked</i></p> |  |
|  | <p>1512-01</p> | <p>Plastic crate for chicken transportation, dim. 95,5x57,0x27,5 cm – 1 upper sliding door dim. 40x36 cm + 1 front door + 1 side door – capacity 15-18 chicken *</p> <p><i>Packing in bundle: 1 pcs. - Vol: 0,024 m³ - Kg 7,5</i> <i>50 pcs. on pallet 110x130x235 cm</i> <i>In container 20': 640 pcs. stacked</i></p> |  |
|  | <p>1520-01</p> | <p>Plastic crate for chicken transportation, dim. 95,5x57,0x32,5 cm – 1 upper sliding door dim. 40x36 cm – capacity 18-20 chicken *</p> <p><i>Packing in bundle: 1 pcs. - Vol: 0,033 m³ - Kg 8,5</i> <i>50 pcs. on pallet 110x130x235 cm</i> <i>In container 20': 640 pcs. stacked</i></p> |  |
|  | <p>1521-01</p> | <p>Plastic crate for chicken transportation, dim. 95,5x57,0x32,5 cm – 1 upper sliding door dim. 40x36 cm + 1 front door – capacity 18-20 chicken *</p> <p><i>Packing in bundle: 1 pcs. - Vol: 0,033 m³ - Kg 8,5</i> <i>50 pcs. on pallet 110x130x235 cm</i> <i>In container 20': 640 pcs. stacked</i></p> |  |
|  | <p>1530-05</p> | <p>Plastic crate for quails/chicks transportation, dim. 60x29x24 cm – 1 front door – capacity 20-25 quails/ chicks *</p> <p><i>Packing in bundle: 1 pcs. - Vol: 0,021 m³ - Kg 3</i> <i>200 pcs. on pallet 80x120x235 cm</i></p> |  |

* Indicative capacity. Please consider the size of animals and the local temperature.

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

| Art. | Art. No. | Description | |
|---|-----------------------|--|---|
|  | <p>1540-06</p> | <p>Plastic crate for game transportation, dim. 60x80x19 cm – 1 front door dim. 16x34,5 cm – capacity 10-15 birds *</p> <p><i>Packing: 1 pcs. - Vol: 0,091 m³ - Kg 10</i> <i>20 pcs. on pallet 80x120x235 cm</i></p> |  |
|  | <p>1541-06</p> | <p>Plastic crate for game transportation, dim. 60x80x19 cm – 2 front doors dim. 16x34,5 cm – capacity 10-15 birds *</p> <p><i>Packing: 1 pcs. - Vol: 0,091 m³ - Kg 10</i> <i>20 pcs. on pallet 80x120x235 cm</i></p> |  |
|  | <p>1550-05</p> | <p>Plastic egg tray, dim. 30x30 cm – capacity 30 eggs</p> <p><i>Packing in carton</i> <i>6000 pcs. on pallet 90x120x235 cm</i></p> |  |
|  | <p>1560</p> | <p>Stacking egg box, ext. dim. 38x38x36,6 cm – capacity 180 eggs (6 x 30-egg trays)</p> <p><i>Packing: 1 pcs. - Vol: 0,529 m³ - Kg 1,94</i> <i>70 pcs. on pallet 80x120x235 cm</i> <i>In container 20': 1.280 pcs. stacked</i></p> |  |
|  | <p>1570-06</p> | <p>Stacking egg box, ext. dim. 67x35,5x39 cm – capacity 360 eggs (12 x 30-egg trays)</p> <p><i>Packing: 1 pcs. - Vol: 0,928 m³ - Kg 3,21</i> <i>60 pcs. on pallet 110x130x235 cm</i> <i>In container 20': 640 pcs. stacked</i></p> |  |
|  | <p>1571</p> | <p>Metal platform for loading/unloading eggs, ext. dim. 63x33x50 cm – for box capacity 360 eggs</p> <p><i>Packing: 1 pcs. - Vol: 0,104 m³ - Kg 15</i></p> |  |

* Indicative capacity. Please consider the size of animals and the local temperature.



GENERAL SALE CONDITIONS:

- 1) The shipping risks are at the Customer's charge, even if the goods are supplied free domicile.
- 2) Any claim shall be made within 8 days from goods receipt or within 8 days from invoice receipt, in case of supply of services.
- 3) Any delay in the delivery doesn't allow the Customer to cancel the order, or to delay or suspend payments following receipt of goods.
- 4) The delivery of the goods is not binding and it is subordinated to RIVER SYSTEMS SRL's possibility of production and shipment. It is understood that the Company will take care to prepare the order with the minimal delay.
- 5) Data, pictures, catalogues and references are merely illustrative and informative and can be modified without notice.
- 6) River Systems has the right to suspend the delivery in case the goods are not collected within the agreed date, and to suspend the supplies in case of failure to pay expired invoices.
- 7) Sole place of jurisdiction: PADOVA.

WARRANTY:

- 1) The equipment is warranted for 12 months from the purchase date, which corresponds to the invoice date.
- 2) Warranty means the replacement or repair for free of the components or parts acknowledged as faulty from production.
- 3) For door-to-door servicing, the Buyer is required to pay the mileage allowance and to refund the board and lodging, if any. Nothing is due for the part replaced at River Systems' warehouse.
- 4) The warranty does not cover: all the electric elements, the damages caused by negligence, by lack of maintenance, by foreign bodies in the feed or water to distribute, and anyway by events not coming from the normal use of the equipment.
- 5) The warranty lapses if the equipment has been tampered with or repaired by non authorized personnel.
- 6) The warranty will not be extended following a breakdown.
- 7) Reimbursement for direct or indirect damages of any kind caused to people, things or animals by the use of the equipment is excluded.
- 8) Nobody is authorized to modify the above terms of guarantee or to issue new ones, either verbal or in written, without the written authorization by River Systems.





River Systems S.r.l.
via Marco Polo, 33
35011 Campodarsego (PD) Italy
Telefono +39.049.9202464 - Fax +39.049.9216057
www.riversystems.it - info@riversystems.it

