

The whole line oil pre-treatment equipment supplier

Guangzhou Scikoon Industry CO., LTD




O Contents

About Scikoon

Technical support

Scikoon Products

Aspirator
Flaking Mill Series
Cracker Series
Meal Crusher
Screening Series
Conditioner
Counterflow Cooler
etc...







About SCIKOON

The Whole Line Oil Pretreatment Equipments Supplier
One Stop Solutions of Oils & Fats Preparation

SCIKOON's History



2012 Established cooperation relationship with JJ-Lurgi

2016 Signed contract with DSH Company

DSH.

2003 Guangzhou Xinmas

Industry Co.,Ltd was founded.







Many equipment have been delivered to different regions all around the world.

Scikoon in the Global



South Ocean Client



Russia Client





Cargill Client



Xiangchi Group



Dust Explosion Proof Expert



Desmet Client



Australia Client

Scikoon in the Global










China Oils & Fats association experts visited and praised our DSH hoppers.



Technical support

Professional and Efficiency 6S Production Management

Excellent customer support and service

SCIKOON Qualification



星品质 耀未来Star Quality Diligent Creation

Scikoon equipment approved by the ISO9001:2015 Quality Management System.

Europe CE certifications.

Multi Rotary Screener obtained invention patent, apprearance patent and utility new model patent.

Diligent Creation







2. Concept Visualization



3. Design Practices



4. Products Approval

SCIKOON Quality







Professional & Efficient 6S Production Management

Scikoon adopts professional and efficient 6S production management to improve working efficiency, and strictly complies with the ISO9001:2015 standard to control the whole procedure from design, purchasing, production, inspection, debugging, packing and after-sale services.

SCIKOON Facilities

big CNC laser cutting mill

plasma flame cutting machine










high precision of regrinding and fluting mill

Advanced Production Facilities

Each part of the products has been inspected strictly to ensure high level quality.

big sand abrasive blasting room, CNC bending machine, plate shearer, etc.



Sincere Service







诚心 贴心 细心 耐心 舒心 五心服务理念 Sincere Intimate Careful Patient Happy











SCIKOON PRODUCT

Customer's approval is our tireless pursuit

PS Screener



Conditioner



Cracker



Aspirator





The Whole Line Oil Pretreatment Equipments Supplier One Stop Solutions to Oils & Fats Preparation











Meal Crusher



Cooler







Performance Description

- SKF / NSK bearings
- SEW reducers (brand can be specified by clients), low power
- Good paint Hempel paint (Internal parts use food grade paint)
- Good air-tightness. Equipped with a differential pressure gauge between air inlet and outlet, and the brand is DWYER.
- Grid plate to reduce wearing, material is Hardox 400









Detail Description







Grid plate

It's one of our biggest features of our aspirator

Less wearing & long life of the grid plate

Feeding pipes, View windows
Feeding pipes use seamless steel tubes,

SKF / NSK Bearings and SEW Rrducer



Project Reference



Algeria Project 2018 2200 TPD Soybean



German Project 2018 2500 TPD Soybean



Project Reference







Egypt & Thailand Project 2019

Project: Soybean preparation

SINO GRAIN 2012

Project: Soybean preparation

South Africa Project 2018

Project: Soybean preparation



Aspirator Video Reference







Automatic Hydraulic Flaking mill

It's mainly used for the oilseed flaking system, corn steam flaking plant, oatmeal flaking for food industry. Fully automatic hydraulic system. Fully automatic PLC control system.fault EWS system. Temperature-sensing system, Centralized lubricating system, internal dedusting system.







Performance Description


- SKF bearings
- Single motor drive, SEW reducers (brand can be specified by clients)
- Spain Balaguer flaking rolls
- Full automatic PLC control system with Siemens display.
- Permanent magnetic device removing iron impurities
- · Auto belt tension device.
- Telescopic automatic scraper device.
- · Accumulators buffer high frequent vibration efficiently.
- Hydraulic control material inlet can be automatically closed when rolls are open.







Construction





Project Reference







DONGLING GROUP (ZHIZHIYUAN)

Capacity: 5000T/D

Project: Soybean preparation

NOBLE AFRICA

Capacity: 3000T/D

Project: Soybean preparation

NOBLE GROUP (NANTONG)

Capacity: 3000T/D

Project: Soybean preparation



Project Reference







NINE-THREE GROUP (HUIYU)

Capacity: 5000T/D

Project: Soybean preparation

NINE-THREE GROUP (TIANJIN)

Capacity: 5000T/D

Project: Soybean preparation

NOBLE GROUP (LONGKOU)

Capacity: 2500T/D

Project: Soybean preparation



Flaker Video Reference







O Double Deck Cracker

It's widely used for cracking plant in the grain & oil and feed industry, such as for soybean, corn, wheat, canola, cotton seed and sunflower seed, feed material, etc.

- Cracking mterial for twice
- SKF / NSK bearings
- Good motor & reducers (brand can be specified by clients),
 low power
- Good paint
- Corrugated-roll-type feeder, feeding uniformly and smoothly.
- Permanent magnetic device removing iron impurities.
- High quality chilled alloy roll.










Machine Construction





Project Reference







SINO GRAIN GROUP

Capacity: 1500T/D

Project: Soybean preparation

Wilmar China 2018

Project: Soybean preparation

QUANZHOU FUHAI

Capacity: 240T/D

Project: Soybean Extrusion



Project Reference







NINE-THREE GROUP (HUIYU)

Capacity: 5000T/D

Project: Soybean preparation

Zhizhiyuan (Guangzhou)

Capacity: 5000T/D

Project: Soybean preparation

Sino Grain Group (Tangshan)

Capacity: 4000T/D

Project: Soybean preparation



DD Cracker Video Reference







Single Stand Cracker

Using in grain & oil industry for 1st SCIKOON cracking. Also in feed industry.





Performance Description

- SKF / NSK bearings
- Good motor (brand can be specified by clients), low power
- Good paint
- Corrugated –roll-type feeder
- Permanent magnetic device removing iron impurities
- High quality chilled alloy roll.
- · Spring-loaded rolls protection device.
- Synchronous roll-space adjusting mechanism to ensure roll in parallel.
- Analog gauge hand-wheel, adjust roll gap distance precisely.





Project for JJ-Lurgi Malaysia



SS Cracker Video Reference







It is widely used for cracking the big meal lumps into required size the customers want.

The most important features are great energy saving, low noise.

- SKF / NSK bearings
- Good motor & reducer (brand can be specified by clients)





Meal Crusher Structure



Coarse Soybean Meal



















Screening Series

Widely used in the grain & seed stock, seed processing, chemical, fertilizer and plastic industries, etc.







New Rotary Screener





Detail Description



- SKF / NSK bearings
- Good motor (brand can be specified by clients)
- Universal joint / flexible suspension structure
- Advanced oil lubricating system
- High bouncing balls prevent screen from block
- Superior Quality Screen Frame
- Low noise (Test XKSF200-2PS is 82.1db at 1m distance, location: Scikoon workshop)



















SINO GRAIN (TANGSHAN)

Project: Soybean, Soy meal and Soyhull screening

MALAYSIA PROJECT

Project: Wheat screening

SINO GRAIN (CHENGDU)

Project: Soybean, Soy meal, Soy hull screening









NINE THREE GROUP

Project: Soybean screening

DESMET

Algeria project 2018

Project: Soybean, soy meal and soy

hull screening

EGYPT PROJECT 2019

Project: Soybean, soy meal and soy

hull screening



PS Screener Video Reference









Performance Description

- SKF / NSK bearings
- Good motor (brand can be specified by clients), low power
- Good paint
- Combined steam heating and hot air heating effect, good heating effect
- Oval stainless steel heating pipes, provide longer use life.
- Automatic temperature control system.
- Material level control system.



进料层 Feed layer



加热层 Heating layer



町科伝Unloading layer









NOBLE (SOUTH AFRICA)

Project: Soybean preparation

TURKEY HUM

Project: Soybean preparation

SINO GRAIN (TANGSHAN)

Project: Soybean preparation







Performance Description



- Precision level indicator
- SKF / NSK bearings
- Good motor (brand can be specified by clients)
- Good paint (brand can be specified by clients)
- Closed-type rotary vane feeder.
- Rotary distributor and rakes to maximum material covering area, optimal cooling effect
- Hydraulic system, automatic control.
- Flap turning angle controller, angle is adjustable.















KYOSHIN (JAPAN)

JIAGUAN GROUP: SOYBEAN EXTRUSION NINE THREE GROUP: SOYBEAN EXTRUSION





Japan



United Engineering Corporation (India)



Egypt & Thailand Projects 2019 for Desmet



Counterflow Cooler Video Reference





